					DEPARTMENT	ATE OF UTAH OF NATURAL RES F OIL, GAS AND I			AMEND	FOR ED REPOR		
		A	PPLICATIO	N FOR	PERMIT TO DRILL			1. WELL NAME and	NUMBER 1-18D-3	6 BTR		
2. TYPE	OF WORK	DRILL NEW WEL	L 📵 REE	NTER P&	A WELL (DEEPE	N WELL		3. FIELD OR WILDO	CAT CEDAR	RIM		
4. TYPE	OF WELL		Oil Well	Coalbe	ed Methane Well: NO			5. UNIT or COMMU	NITIZATI	ON AGRE	EMENT	NAME
6. NAME	OF OPERAT				TT CORP			7. OPERATOR PHON	NE 303 312	-8164		
8. ADDR	ESS OF OPE		099 18th Stree	t Ste 230	00, Denver, CO, 80202			9. OPERATOR E-MA		rrettcorp.c	om	
	ERAL LEASE AL, INDIAN,	OR STATE)			11. MINERAL OWNE	RSHIP IAN 📵 STATE () FEE ()	12. SURFACE OWNE	ERSHIP DIAN (STATE) r	EE (III)
13. NAM	IE OF SURFA	20G0005608 CE OWNER (if b			Verhoef Family Trust			14. SURFACE OWNE		(if box 1		
15. ADD	RESS OF SUI	RFACE OWNER (if box 12 = '1	ee')	re, Sandy, UT 84093			16. SURFACE OWNE			12 = 'fe	e')
	IAN ALLOTTE 12 = 'INDIAN	E OR TRIBE NA		CSCU DIT	18. INTEND TO COM		TION FROM	19. SLANT				
(II BOX)	IZ - INDIAN				YES (Submit C	ommingling Applicat	ion) NO 📵	VERTICAL DIR	RECTIONAL	. 📵 н	ORIZON'	TAL 🔵
20. LO	CATION OF W	/ELL		FO	OTAGES	QTR-QTR	SECTION	TOWNSHIP	RAI	NGE	MEF	RIDIAN
LOCAT	ON AT SURF	ACE		464 FN	IL 848 FEL	NENE	18	3.0 S	6.0	W		U
<u> </u>		roducing Zone	_		IL 806 FEL	NENE	18	3.0 S	6.0			U
	I Depth			810 FN	IL 810 FEL	NENE EADEST LEASE LIN	18			6.0 W U		U
21. COU	IN I Y	DUCHESNE			22. DISTANCE TO N	810			640		UNII	
					(Applied For Drilling		SAME POOL	26. PROPOSED DEP MD:		TVD: 1126	2	
27. ELE	/ATION - GR				28. BOND NUMBER			29. SOURCE OF DRI	PROVAL I	NUMBÉR 1		ICABLE
		6463			Hole Casing	LPM8874725 and Cement Inf	ormation	Duchesne	e City Cuiii	nary Wate	r Dock	
String	Hole Size	Casing Size	Length	Weigh	_		-	Cement		Sacks	Yield	Weight
Cond	26	16	0 - 80	65.0		8.8		Unknown		0	0.0	0.0
Surf	14.75	10.75	0 - 3700	45.5	J-55 ST&C	8.8	Hallibur	ton Light , Type Unk	nown	1000	3.16	11.0
							Halliburto	n Premium , Type Ur	nknown	360	1.36	14.8
Prod	9.875	5.5	0 - 11284	17.0	P-110 LT&C	9.7		Unknown		1040	2.31	11.0
								Unknown		720	1.42	13.5
					Aī	TTACHMENTS						
	VERIFY	THE FOLLOW	ING ARE A	TTACH	ED IN ACCORDAN	CE WITH THE U	TAH OIL AND	GAS CONSERVATI	ON GEN	ERAL RU	JLES	
✓ v	VELL PLAT O	R MAP PREPARE	D BY LICENS	ED SUR	VEYOR OR ENGINEER	COM	IPLETE DRILLIN	G PLAN				
№ A	FFIDAVIT OF	STATUS OF SU	RFACE OWNE	R AGRE	EMENT (IF FEE SURF	ACE) FORI	M 5. IF OPERATO	OR IS OTHER THAN TI	HE LEASE	OWNER		
DRILLEI		SURVEY PLAN	(IF DIRECTIO	NALLY (OR HORIZONTALLY	г торо	OGRAPHICAL MA	AP				
NAME	/enessa Langr	nacher		TITL	E Senior Permit Analyst	t	PHONE 30	3 312-8172				
SIGNA	TURE			DATE	08/10/2011		EMAIL vla	ngmacher@billbarrettco	rp.com			
	MBER ASSIG 01350922			АРРЕ	ROVAL		Pern	De Galler nit Manager				

DRILLING PLAN

BILL BARRETT CORPORATION

1-18D-36 BTR Well Pad

NE NE, 464' FNL and 848' FEL, Section 18, T3S-R6W, USB&M (surface hole) NE NE, 810' FNL and 810' FEL, Section 18, T3S-R6W, USB&M (bottom hole) Duchesne County, UT

1 - 2. <u>Estimated Tops of Geological Markers and Formations Expected to Contain Water, Oil and Gas and Other Minerals</u>

Formation	Depth – MD	Depth – TVD
Lower Green River*	6,712'	6,698'
Douglas Creek	7,533'	7,512'
Black Shale	8,063'	8,041'
Castle Peak	8,313'	8,291'
Uteland Butte	8,701'	8,679'
Wasatch*	9,115'	9,093'
TD	11,284'	11,262'

^{*}PROSPECTIVE PAY

To operate most efficiently in this manner.

Members of the Wasatch and the Lower Green River are primary objectives for oil/gas.

Base of Useable Water = 3,800'

3. BOP and Pressure Containment Data

Depth Intervals	BOP Equipment						
0 - 3,700	No pressure control required						
3,700' – TD							
	11" 5000# Annular BOP						
- Drilling spool to a	accommodate choke and kill lines;						
	ent and choke manifold rated at 5,000 psi. All BOP and BOPE tests will be in the requirements of onshore Order No. 2;						
- The BLM and the	- The BLM and the State of Utah Division of Oil, Gas and Mining will be notified 24 hours in						
advance of all BC	OP pressure tests.						
- BOP hand wheels	may be underneath the sub-structure of the rig if the drilling rig used is set up						

4. <u>Casing Program</u>

Hole Size	SETTING (FROM)	<u>G DEPTH</u> (TO)	Casing Size	<u>Casing</u> Weight	Casing Grade	Thread	Condition
26"	Surface	80'	16"	65#			
14 3/4"	Surface	3,700'	10-3/4"	45.5#	J or K 55	BT&C	New
9-7/8"	Surface	TD	5 ½"	17#	P-110	LT&C	New
&							
8-3/4"							

NOTE: If necessary due to lost circulation, BBC would like to request the option to set 7-5/8", 33.70# P-110 LT&C to a depth of 6000', then drill a 6-1/2" hole to TD and run 5-1/2" casing as a 2000' liner (200' liner lap).

Bill Barrett Corporation Drilling Program #1-18D-36 BTR Duchesne County, Utah

5. <u>Cementing Program</u>

Casing	<u>Cement</u>
16" Conductor Casing	Grout
14-3/4" hole for 10-3/4" Surface	Lead with approximately 1000 sx Halliburton Light
Casing	Premium with additives mixed at 11.0 ppg (yield = 3.16
	ft ³ /sx) circulated to surface with 75% excess. Planned top of
	lead cement at surface.
	Tail with approximately 360 sx Halliburton Premium
	cement with additives mixed at 14.8 ppg (yield = 1.36
	ft ³ /sx). Calculated hole volume with 75% excess. Planned
	top of tail cement at 3,200'.
9-7/8 hole for 5 ½" Production	Lead with approximately 1040 sx Tuned Light cement with
Casing	additives mixed at 11.0 ppg (yield = $2.31 \text{ ft}^3/\text{sx}$). Planned
May reduce hole size to 8-3/4" at	top of lead cement at 3,200'
6000' if minimal hole problems.	
	Tail with approximately 720 sx Halliburton Econocem
	cement with additives mixed at 13.5 ppg (yield = 1.42
	ft^3/sx). Planned top of tail cement at 7,563'.

NOTE: If 7-5/8" casing is necessary, cement with Lead with approximately 700 sx Tuned Light cement with additives mixed at 11.0 ppg (yield = $2.31 \text{ ft}^3/\text{sx}$).

Tail with approximately 240 sx Halliburton Econocem cement with additives mixed at 13.5 ppg (yield = $1.42 \text{ ft}^3/\text{sx}$). Planned TOC surface. We will perform a FIT to 10.2 ppg after drilling 20' of new hole.

The 5-1/2" liner would be cemented with 300 sx of Class G 50/50 Poz w/ 2% gel (14.2 ppg) with additives from TD to 200' above TOL.

6. Mud Program

	<u>Interval</u>	Weight	Viscosity	Fluid Loss	<u>Remarks</u>
<u> </u>				(API filtrate)	
	0' - 80'	8.3 - 8.8	26 - 36	NC	Freshwater Spud Mud Fluid
					System
	80' – 3,700'	8.3 - 8.8	26 - 36	NC	Freshwater Spud Mud Fluid
					System
	3,700' – TD	8.6 - 9.7	42 - 52	20 cc or less	DAP Polymer Fluid System

Note: Sufficient mud materials to maintain mud properties, control lost circulation and to contain "kicks" will be available at wellsite. BBC may require minor amounts of diesel to be added to its fluid system in order to reduce torque and drag.

Bill Barrett Corporation Drilling Program #1-18D-36 BTR Duchesne County, Utah

7. Testing, Logging and Core Programs

Cores	None anticipated
Testing	None anticipated; drill stem tests may be run on shows of interest;
Sampling	30' to 50' samples; surface casing to TD. Preserve samples all show intervals;
Surveys	MWD as needed to land wellbore;
Logging	DIL-GR-SP, FDC-CNL-GR-CALIPER-Pe-Microlog, Sonic-GR (all TD to surface).
	FMI & Sonic Scanner to be run at geologist's discretion.

NOTE: If BBC pursues the "Alternate" program, a suite of the above logs will be run on both the intermediate and production hole sections.

8. <u>Anticipated Abnormal Pressures or Temperatures</u>

No abnormal pressures or temperatures or other hazards are anticipated.

Maximum anticipated bottom hole pressure equals approximately 5681 psi* and maximum anticipated surface pressure equals approximately 3203 psi** (bottom hole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

9. Auxiliary Equipment

- a) Upper kelly cock; lower Kelly cock will be installed while drilling
- b) Inside BOP or stab-in valve (available on rig floor)
- c) Safety valve(s) and subs to fit all string connections in use
- d) Mud monitoring will be visually observed

10. Location and Type of Water Supply

Water for the drilling and completion will be trucked from the Duchesne City Culinary Water Dock located in Sec. 1, T4S, R5W.

11. <u>Drilling Schedule</u>

Location Construction: January 2012
Spud: January 2012
Duration: 15 days drilling time

45 days completion time

^{*}Max Mud Wt x 0.052 x TD = A (bottom hole pressure)

^{**}Maximum surface pressure = A - (0.22 x TD)

PRESSURE CONTROL EQUIPMENT – Schematic Attached

A. Type: Eleven (11) Inch Double Gate Hydraulic BOP with Eleven (11) Inch Annular Preventer. The blow out preventer will be equipped as follows:

- 1. One (1) blind ram (above).
- 2. One (1) pipe ram (below).
- 3. Drilling spool with two (2) side outlets (choke side 3-inch minimum, kill side 2-inch minimum).
- 4. 3-inch diameter choke line.
- 5. Two (2) choke line valves (3-inch minimum).
- 6. Kill line (2-inch minimum).
- 7. Two (2) chokes with one (1) remotely controlled from the rig floor.
- 8. Two (2) kill line valves, and a check valve (2-inch minimum).
- 9. Upper and lower kelly cock valves with handles available.
- 10. Safety valve(s) & subs to fit all drill string connections in use.
- 11. Inside BOP or float sub available.
- 12. Pressure gauge on choke manifold.
- 13. Fill-up line above the uppermost preventer.

B. Pressure Rating: 5,000 psi

C. Testing Procedure:

Annular Preventer

At a minimum, the Annular Preventer will be pressure tested to 50% of the rated working pressure for a period of ten (10) minutes or until provisions of the test are met, whichever is longer.

At a minimum the above pressure test will be performed:

- 1. When the annular preventer is initially installed;
- 2. Whenever any seal subject to test pressure is broken;
- 3. Following related repairs; and
- 4. At thirty (30) day intervals.

In addition, the Annular Preventer will be functionally operated at least weekly.

Blow-Out Preventer

At a minimum, the BOP, choke manifold, and related equipment will be pressure tested to the approved working pressure of the BOP stack (if isolated from the surface casing by a test plug) or to 70% of the internal yieldstrength of the surface casing (if the BOP is not isolated from the casing by a test plug). Pressure will be

maintained for a period of at least ten (10) minutes or until the requirmentsof the test are met, whichever is longer.

At a minimum, the above pressure test will be performed:

- 1. When the BOP is initially installed;
- 2. Whenever any seal subject to test pressure is broken;
- 3. Following related repairs; and
- 4. At thirty (30) day intervals.

In addition the pipe and blind rams will be activated each trip, but not more than once each day. All BOP drills and tests will be recorded in the IADC driller's log.

D. Choke Manifold Equipment:

All choke lines will be straight lines unless turns use tee blocks or are targeted with running tees, and will be anchored to prevent whip and vibration.

E. Accumulator:

The accumulator will have sufficient capacity to open the hydraulically-controlled choke line valve (if so equipped), close all rams plus the annular preventer, and retain a minimum of 200 psi above precharge on the closing manifold without the use of closing unit pumps. The fluid reservoir capacity will be double the usable fluid volume of the accumulator system capacity and the fluid level of the reservoir will be maintained at the manufacturer's recommendations.

The BOP system will have two (2) independent power sources to close the preventers. Nitrogen bottles (3 minimum) will be one (1) of these independent power sources and will maintain a charge equal to the manufacturer's specifications.

The accumulator precharge pressure test will be conducted prior to connecting the closing unit to the BOP stack and at least once every six (6) months thereafter. The accumulator pressure will be corrected if the measured precharge pressure is found to be above or below the maximum or minimum limits specified in the *Onshore Oil & Gas Order Number 2*.


A manual locking device (i.e. hand wheels) or automatic locking device will be installed on all systems of 2M or greater. A valve will be installed in the closing line as close as possible to the annular preventer to act as a locking device. This valve will be maintained in the open position and will be closed only when the power source for the accumulator is inoperative.

Remote controls shall be readily accessible to the driller. Remote controls for all 3M or greater systems will be capable of closing all preventers. Remote controls for 5M or greater systems will be capable of both opening and closing all preventers. Master controls will be at the accumulator and will be capable of opening and closing all preventers and the choke line valve (if so equipped).

F. Miscellaneous Information:


The Blow-Out Preventer and related pressure control equipment will be installed, tested and maintained in compliance with the specifications in and requirements of *Onshore Oil & Gas Order Number 2*. The hydraulic BOP closing unit will be located at least twenty-five (25) feet from the well head but readily accessible to the driller. Exact locations and configurations of the hydraulic BOP closing unit will depend upon the particular rig contracted to drill this hole.


A flare line will be installed after the choke manifold, extending 125 feet (minimum) from the center of the drill hole to a separate flare pit.




RECEIVED: August 10, 2011










WELL DETAILS: 1-18D-36 BTR


US State Plane 1927 (Exact solution) Utah Central 4302 NAD 1927 (NADCON CONUS)

+N/-S +E/-W Northing Easting Latittude Longitude 0.00 0.00 690500.40 2251583.05 40° 13' 32.28 N 110° 35' 56.32 W

Ground Level: 6463.00 Well #1 - 16' KB









Azimuths to True North Magnetic North: 11.57°

Magnetic Field Strength: 52295.2snT Dip Angle: 65.84° Date: 5/5/2011 Model: IGRF2010

SECTION DETAILS

MD	inc	AZI	IVD	+IN/-S	+E/-VV	Dieg	rrace	vSect	rarget
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5
4800.00	0.00	0.00	4800.00	0.00	0.00	0.00	0.00	0.00	
5313.29	7.70	173.08	5311.75	-34.18	4.15	1.50	173.08	34.44	
7393.55	7.70	173.08	7373.25	-310.86	37.73	0.00	0.00	313.14	
7906.84	0.00	0.00	7885.00	-345.04	41.88	1.50	180.00	347.57	1-18D-36 BTR Target
11283.84	0.00	0.00	11262.00	-345.04	41.88	0.00	0.00	347.57	1-18D-36 BTR PBHL



Planning Report



Database: EDM 5000.1 Single User Db

Company: Bill Barrett Corp.

Project: Duchesne County, UT [NAD27]

 Site:
 1-18D-36 BTR

 Well:
 Well #1 - 16' KB

 Wellbore:
 Wellbore #1

 Design:
 plan1 05may11 rbw

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Well #1 - 16' KB KB @ 6479.00ft KB @ 6479.00ft

True

Minimum Curvature

Project Duchesne County, UT [NAD27]

Map System: US State Plane 1927 (Exact solution)
Geo Datum: NAD 1927 (NADCON CONUS)

Geo Datum: NAD 1927 (NADCOI Map Zone: Utah Central 4302 System Datum:

Mean Sea Level

Site 1-18D-36 BTR

Northing: 690,500.40 usft Site Position: Latitude: 40° 13' 32.28 N From: Lat/Long Easting: 2,251,583.05 usft Longitude: 110° 35' 56.32 W **Position Uncertainty:** 0.00 ft Slot Radius: **Grid Convergence:** 0.58° 1.10 ft

Well #1 - 16' KB

 Well Position
 +N/-S
 0.00 ft
 Northing:
 690,500.40 usft
 Latitude:
 40° 13′ 32.28 N

 +E/-W
 0.00 ft
 Easting:
 2,251,583.05 usft
 Longitude:
 110° 35′ 56.32 W

Position Uncertainty 0.00 ft Wellhead Elevation: Ground Level: 6,463.00 ft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle	Field Strength (nT)
	IGRF2010	5/5/2011	11.57	65.84	52,295

Design	plan1 05may11 rbw				
Audit Notes:					
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.00	
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W	Direction	
	(ft)	(ft)	(ft)	(°)	
	0.00	0.00	0.00	173.08	

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
4,800.00	0.00	0.00	4,800.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,313.29	7.70	173.08	5,311.75	-34.18	4.15	1.50	1.50	0.00	173.08	
7,393.55	7.70	173.08	7,373.25	-310.86	37.73	0.00	0.00	0.00	0.00	
7,906.84	0.00	0.00	7,885.00	-345.04	41.88	1.50	-1.50	0.00	180.00	1-18D-36 BTR Target
11,283.84	0.00	0.00	11,262.00	-345.04	41.88	0.00	0.00	0.00	0.00	1-18D-36 BTR PBHL

Planning Report



Database: Company: EDM 5000.1 Single User Db

Bill Barrett Corp.

Project: Duche

Duchesne County, UT [NAD27]

 Site:
 1-18D-36 BTR

 Well:
 Well #1 - 16' KB

 Wellbore:
 Wellbore #1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Well #1 - 16' KB KB @ 6479.00ft KB @ 6479.00ft

True Minimum Curvature

ellbore: esign:	plan1 05may1	1 rbw							
_	platti Oottiay i	TIDW							
anned Survey									
Measured Depth	Inclination	Azimuth	Vertical Depth	+N/-S	+E/-W	Vertical Section	Dogleg Rate	Build Rate	Turn Rate
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	(°/100ft)	(°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00
700.00	0.00	0.00	700.00	0.00	0.00	0.00	0.00	0.00	0.00
800.00	0.00	0.00	800.00	0.00	0.00	0.00	0.00	0.00	0.00
900.00	0.00	0.00	900.00	0.00	0.00	0.00	0.00	0.00	0.00
1,000.00	0.00	0.00	1,000.00	0.00	0.00	0.00	0.00	0.00	0.00
1,100.00	0.00	0.00	1,100.00	0.00	0.00	0.00	0.00	0.00	0.00
1,200.00	0.00	0.00	1,200.00	0.00	0.00	0.00	0.00	0.00	0.00
1,300.00	0.00	0.00	1,300.00	0.00	0.00	0.00	0.00	0.00	0.00
1,400.00	0.00	0.00	1,400.00	0.00	0.00	0.00	0.00	0.00	0.00
1,500.00	0.00	0.00	1,500.00	0.00	0.00	0.00	0.00	0.00	0.00
1,600.00	0.00	0.00	1,600.00	0.00	0.00	0.00	0.00	0.00	0.00
1,700.00	0.00	0.00	1,700.00	0.00	0.00	0.00	0.00	0.00	0.00
1,800.00	0.00	0.00	1,800.00	0.00	0.00	0.00	0.00	0.00	0.00
1,900.00	0.00	0.00	1,900.00	0.00	0.00	0.00	0.00	0.00	0.00
2,000.00	0.00	0.00	2,000.00	0.00	0.00	0.00	0.00	0.00	0.00
2,100.00	0.00	0.00	2,100.00	0.00	0.00	0.00	0.00	0.00	0.00
2,200.00	0.00	0.00	2,200.00	0.00	0.00	0.00	0.00	0.00	0.00
2,300.00	0.00	0.00	2,300.00	0.00	0.00	0.00	0.00	0.00	0.00
2,400.00	0.00	0.00	2,400.00	0.00	0.00	0.00	0.00	0.00	0.00
2,500.00	0.00	0.00	2,500.00	0.00	0.00	0.00	0.00	0.00	0.00
2,600.00	0.00	0.00	2,600.00	0.00	0.00	0.00	0.00	0.00	0.00
2,700.00	0.00	0.00	2,700.00	0.00	0.00	0.00	0.00	0.00	0.00
2,800.00	0.00	0.00	2,800.00	0.00	0.00	0.00	0.00	0.00	0.00
2,900.00	0.00	0.00	2,900.00	0.00	0.00	0.00	0.00	0.00	0.00
3,000.00	0.00	0.00	3,000.00	0.00	0.00	0.00	0.00	0.00	0.00
3,100.00	0.00	0.00	3,100.00	0.00	0.00	0.00	0.00	0.00	0.00
3,200.00	0.00	0.00	3,200.00	0.00	0.00	0.00	0.00	0.00	0.00
3,300.00	0.00	0.00	3,300.00	0.00	0.00	0.00	0.00	0.00	0.00
3,400.00	0.00	0.00	3,400.00	0.00	0.00	0.00	0.00	0.00	0.00
3,500.00	0.00	0.00	3,500.00	0.00	0.00	0.00	0.00	0.00	0.00
3,600.00	0.00	0.00	3,600.00	0.00	0.00	0.00	0.00	0.00	0.00
3,700.00	0.00	0.00	3,700.00	0.00	0.00	0.00	0.00	0.00	0.00
3,800.00	0.00	0.00	3,800.00	0.00	0.00	0.00	0.00	0.00	0.00
3,900.00	0.00	0.00	3,900.00	0.00	0.00	0.00	0.00	0.00	0.00
4.000.00	0.00	0.00	4,000.00	0.00	0.00	0.00	0.00	0.00	0.00
4,100.00	0.00	0.00	4,100.00	0.00	0.00	0.00	0.00	0.00	0.00
4,200.00	0.00	0.00	4,100.00	0.00	0.00	0.00	0.00	0.00	0.00
			4,300.00						
4,300.00 4,400.00	0.00 0.00	0.00 0.00	4,300.00	0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.00
4,410.00	0.00	0.00	4,410.00	0.00	0.00	0.00	0.00	0.00	0.00
Green River									
4,500.00	0.00	0.00	4,500.00	0.00	0.00	0.00	0.00	0.00	0.00
4,600.00	0.00	0.00	4,600.00	0.00	0.00	0.00	0.00	0.00	0.00
4,700.00	0.00	0.00	4,700.00	0.00	0.00	0.00	0.00	0.00	0.00
4,800.00	0.00	0.00	4,800.00	0.00	0.00	0.00	0.00	0.00	0.00
Start Build 1	.50								
4,900.00	1.50	173.08	4,899.99	-1.30	0.16	1.31	1.50	1.50	0.00
5,000.00	3.00	173.08	4,999.91	-5.20	0.63	5.23	1.50	1.50	0.00

Planning Report



Database: Company: EDM 5000.1 Single User Db

Bill Barrett Corp.

Project:

Duchesne County, UT [NAD27]

 Site:
 1-18D-36 BTR

 Well:
 Well #1 - 16' KB

 Wellbore:
 Wellbore #1

 Design:
 plan1 05may11 rbw

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Well #1 - 16' KB KB @ 6479.00ft KB @ 6479.00ft

True Minimum Curvature

Design:	plan1 05may1	1 rbw							
Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
5,100.00 5,200.00 5,218.84 Mahogany	4.50 6.00 6.28	173.08 173.08 173.08	5,099.69 5,199.27 5,218.00	-11.69 -20.77 -22.77	1.42 2.52 2.76	11.77 20.92 22.94	1.50 1.50 1.50	1.50 1.50 1.50	0.00 0.00 0.00
5,300.00	7.50	173.08	5,298.57	-32.44	3.94	32.68	1.50	1.50	0.00
5,313.29	7.70	173.08	5,311.75	-34.18	4.15	34.44	1.50	1.50	0.00
Start 2080.26	hold at 5313.29	MD							
5,400.00	7.70	173.08	5,397.67	-45.72	5.55	46.05	0.00	0.00	0.00
5,500.00	7.70	173.08	5,496.77	-59.02	7.16	59.45	0.00	0.00	0.00
5,600.00	7.70	173.08	5,595.87	-72.32	8.78	72.85	0.00	0.00	0.00
5,700.00	7.70	173.08	5,694.97	-85.62	10.39	86.25	0.00	0.00	0.00
5,800.00	7.70	173.08	5,794.07	-98.92	12.01	99.64	0.00	0.00	0.00
5,900.00	7.70	173.08	5,893.17	-112.22	13.62	113.04	0.00	0.00	0.00
6,000.00	7.70	173.08	5,992.27	-125.52	15.24	126.44	0.00	0.00	0.00
6,100.00	7.70	173.08	6,091.36	-138.82	16.85	139.84	0.00	0.00	0.00
6,200.00	7.70	173.08	6,190.46	-152.12	18.47	153.23	0.00	0.00	0.00
6,300.00	7.70	173.08	6,289.56	-165.42	20.08	166.63	0.00	0.00	0.00
6,400.00	7.70	173.08	6,388.66	-178.72	21.69	180.03	0.00	0.00	0.00
6,500.00	7.70	173.08	6,487.76	-192.02	23.31	193.42	0.00	0.00	0.00
6,600.00	7.70	173.08	6,586.86	-205.32	24.92	206.82	0.00	0.00	0.00
6,700.00 6,712.15 TGR3	7.70 7.70	173.08 173.08	6,685.96 6,698.00	-218.62 -220.23	26.54 26.73	220.22 221.85	0.00	0.00	0.00 0.00
6,800.00	7.70	173.08	6,785.05	-231.91	28.15	233.62	0.00	0.00	0.00
6,900.00	7.70	173.08	6,884.15	-245.21	29.77	247.01	0.00	0.00	0.00
7,000.00	7.70	173.08	6,983.25	-258.51	31.38	260.41	0.00	0.00	0.00
7,100.00	7.70	173.08	7,082.35	-271.81	33.00	273.81	0.00	0.00	0.00
7,200.00	7.70	173.08	7,181.45	-285.11	34.61	287.21	0.00	0.00	0.00
7,300.00	7.70	173.08	7,280.55	-298.41	36.22	300.60	0.00	0.00	0.00
7,393.55	7.70	173.08	7,373.25	-310.86	37.73	313.14	0.00	0.00	0.00
Start Drop -1.	50								
7,400.00	7.60	173.08	7,379.65	-311.71	37.84	314.00	1.50	-1.50	0.00
7,500.00	6.10	173.08	7,478.93	-323.55	39.28	325.93	1.50	-1.50	0.00
7,533.25	5.60	173.08	7,512.00	-326.92	39.68	329.32	1.50	-1.50	0.00
7,600.00	4.60	173.08	7,578.49	-332.81	40.40	335.26	1.50	-1.50	0.00
7,700.00	3.10	173.08	7,678.26	-339.48	41.21	341.98	1.50	-1.50	0.00
7,800.00	1.60	173.08	7,778.17	-343.56	41.70	346.08	1.50	-1.50	0.00
7,900.00	0.10	173.08	7,878.16	-345.04	41.88	347.57	1.50	-1.50	0.00
7,906.84	0.00	0.00	7,885.00	-345.04	41.88	347.57	1.50	-1.50	0.00
8,000.00 8,062.84	0.00 0.00	0.00 0.00 0.00	7,978.16 8,041.00	-345.04 -345.04	41.88 41.88	347.57 347.57	0.00 0.00	0.00 0.00	0.00 0.00
8,100.00	0.00	0.00	8,078.16	-345.04	41.88	347.57	0.00	0.00	0.00
8,200.00	0.00	0.00	8,178.16	-345.04	41.88	347.57	0.00	0.00	0.00
8,300.00	0.00	0.00	8,278.16	-345.04	41.88	347.57	0.00	0.00	0.00
8,312.84	0.00	0.00	8,291.00	-345.04	41.88	347.57	0.00	0.00	0.00
Castle Peak 8,400.00 8,500.00	0.00 0.00	0.00 0.00	8,378.16 8,478.16	-345.04 -345.04	41.88 41.88	347.57 347.57	0.00 0.00	0.00 0.00	0.00 0.00
8,600.00	0.00	0.00	8,578.16	-345.04	41.88	347.57	0.00	0.00	0.00
8,700.00	0.00	0.00	8,678.16	-345.04	41.88	347.57	0.00	0.00	0.00

SharewellPlanning Report



Database: Company: EDM 5000.1 Single User Db

Bill Barrett Corp.

Project: Duchesne County, UT [NAD27]

 Site:
 1-18D-36 BTR

 Well:
 Well #1 - 16' KB

 Wellbore:
 Wellbore #1

 Design:
 plan1 05may11 rbw

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Well #1 - 16' KB KB @ 6479.00ft KB @ 6479.00ft True

Minimum Curvature

n:		plan1 05may1	TTDW							
ned Su	urvey									
	easured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
	8,700.84	0.00	0.00	8,679.00	-345.04	41.88	347.57	0.00	0.00	0.00
U	8,800.00 8,810.84	0.00	0.00 0.00	8,778.16 8,789.00	-345.04 -345.04	41.88 41.88	347.57 347.57	0.00 0.00	0.00 0.00	0.00 0.00
С	R1									
	8,900.00 9,000.00 9,100.00 9,114.84	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	8,878.16 8,978.16 9,078.16 9,093.00	-345.04 -345.04 -345.04 -345.04	41.88 41.88 41.88 41.88	347.57 347.57 347.57 347.57	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
V	Vasatch 9,200.00	0.00	0.00	9,178.16	-345.04	41.88	347.57	0.00	0.00	0.00
	9,300.00 9,334.84	0.00 0.00	0.00 0.00	9,278.16 9,313.00	-345.04 -345.04	41.88 41.88	347.57 347.57	0.00 0.00	0.00 0.00	0.00 0.00
С	9,400.00 9,500.00 9,600.00	0.00 0.00 0.00	0.00 0.00 0.00	9,378.16 9,478.16 9,578.16	-345.04 -345.04 -345.04	41.88 41.88 41.88	347.57 347.57 347.57	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00
	9,666.84	0.00	0.00	9,645.00	-345.04	41.88	347.57	0.00	0.00	0.00
	9,700.00 9,800.00 9,900.00 10,000.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	9,678.16 9,778.16 9,878.16 9,978.16	-345.04 -345.04 -345.04 -345.04	41.88 41.88 41.88 41.88	347.57 347.57 347.57 347.57	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
	10,028.84	0.00	0.00	10,007.00	-345.04	41.88	347.57	0.00	0.00	0.00
1	10,100.00 10,200.00 10,300.00 10,338.84	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	10,078.16 10,178.16 10,278.16 10,317.00	-345.04 -345.04 -345.04 -345.04	41.88 41.88 41.88 41.88	347.57 347.57 347.57 347.57	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
С	R4A									
1	10,400.00 10,477.84 : R5	0.00 0.00	0.00 0.00	10,378.16 10,456.00	-345.04 -345.04	41.88 41.88	347.57 347.57	0.00 0.00	0.00 0.00	0.00 0.00
1	10,500.00 10,600.00 10,633.84	0.00 0.00 0.00	0.00 0.00 0.00	10,478.16 10,578.16 10,612.00	-345.04 -345.04 -345.04	41.88 41.88 41.88	347.57 347.57 347.57	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00
С	R6									
1	10,700.00 10,800.00 10,900.00 10,983.84	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	10,678.16 10,778.16 10,878.16 10,962.00	-345.04 -345.04 -345.04 -345.04	41.88 41.88 41.88 41.88	347.57 347.57 347.57 347.57	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
	R7	2.22	2.22	40.070.40	045.04	44.00	0.47 57	2.22	2.22	2.22
1	11,000.00 11,100.00 11,200.00 11,283.84	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	10,978.16 11,078.16 11,178.16 11,262.00	-345.04 -345.04 -345.04 -345.04	41.88 41.88 41.88 41.88	347.57 347.57 347.57 347.57	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
	D at 11283.8									

Planning Report



Database: EDM 5000.1 Single User Db Company: Bill Barrett Corp.

Bill Barrett Corp.

Duchesne County, UT [NAD27]

plan1 05may11 rbw

 Project:
 Duchesne County, I

 Site:
 1-18D-36 BTR

 Well:
 Well #1 - 16' KB

 Wellbore:
 Wellbore #1

Design:

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Well #1 - 16' KB KB @ 6479.00ft KB @ 6479.00ft True

Minimum Curvature

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
1-18D-36 BTR Target - plan hits target cent - Point	0.00 er	0.00	7,885.00	-345.04	41.88	690,155.80	2,251,628.41	40° 13' 28.87 N	110° 35' 55.78 W
1-18D-36 BTR PBHL - plan hits target cent - Rectangle (sides W			11,262.00 00)	-345.04	41.88	690,155.80	2,251,628.41	40° 13' 28.87 N	110° 35' 55.78 W

Formations					
	Measured Depth (ft)	Vertical Depth (ft)	Name	Dip Lithology (°)	Dip Direction (°)
	4,410.00	4,410.00	Green River	0.00)
	5,218.84	5,218.00	Mahogany	0.00)
	6,712.15	6,698.00	TGR3	0.00)
	7,533.25	7,512.00	Douglas Creek	0.00)
	7,906.84	7,885.00	3PT Marker	0.00)
	8,062.84	8,041.00	Black Shale	0.00)
	8,312.84	8,291.00	Castle Peak	0.00)
	8,700.84	8,679.00	Uteland Butte	0.00)
	8,810.84	8,789.00	CR1	0.00)
	9,114.84	9,093.00	Wasatch	0.00)
	9,334.84	9,313.00	CR2	0.00)
	9,666.84	9,645.00	CR3	0.00)
	10,028.84	10,007.00	CR4	0.00)
	10,338.84	10,317.00	CR4A	0.00)
	10,477.84	10,456.00	CR5	0.00)
	10,633.84	10,612.00	CR6	0.00)
	10,983.84	10,962.00	CR7	0.00)

Plan Annotations				
Measure	d Vertical	Local Cool	rdinates	
Depth	Depth	+N/-S	+E/-W	
(ft)	(ft)	(ft)	(ft)	Comment
4,800	00 4,800.00	0.00	0.00	Start Build 1.50
5,313	29 5,311.75	-34.18	4.15	Start 2080.26 hold at 5313.29 MD
7,393	55 7,373.25	-310.86	37.73	Start Drop -1.50
7,906	7,885.00	-345.04	41.88	Start 3377.00 hold at 7906.84 MD
11,283	84 11,262.00	-345.04	41.88	TD at 11283.84

SURFACE DAMAGE AND RIGHT-OF-WAY SETTLEMENT AGREEMENT

This Agreement, made and entered into this the <u>27th</u> day of <u>January</u>, 2011, by and between <u>Clarence Verhoef</u>, as <u>Trustee of The 1993 Verhoef Family Trust</u>, 7974 South <u>Siesta Drive</u>, <u>Sandy</u>, <u>UT 84093</u> ("Surface Owner") and <u>Bill Barrett Corporation</u>, 1099 18th Street, Suite 2300, <u>Denver CO 80202</u>, ("BBC").

WITNESSETH THAT:

WHEREAS, BBC owns undivided interests in certain oil and gas leases ("leases") covering and affecting All of Section 18, Township 3 South, Range 6 West, USM, of <u>Duchesne</u> County, Utah; and,

WHEREAS, such leases grant to BBC the right and privilege of ingress, egress, exploring, drilling, mining, operating for, producing and owning oil and gas and all other products produced therewith, together with the right to make surveys on said lands, lay pipelines, construct roads and bridges, dig canals, build power stations, telephone lines, employee houses and other structures on said lands, necessary or useful in BBC's operations; and,

WHEREAS, BBC, pursuant to its rights under the Leases, intends to drill the #1-18-36 BTR wells at a legal drill-site location in the NE1/4NE1/4 of Section 18, Township 3 South, Range 6 West, USM, Duchesne County, Utah; and,

WHEREAS, Surface Owner warrants ownership to the surface of at least specific portions of the NE1/4NE1/4 Section 18, Township 3 South, Range 6 West, USM, Duchesne County, Utah, and which warranted ownership is further subject to all oil, gas and other mineral rights which are reserved for the use and benefit of the owners thereof; and,

BBC shall maintain all roads used pursuant to this Agreement and shall install culverts where necessary to insure adequate drainage from all roads.

BBC shall repair any fences and gates damaged by them during the course of their operations on the lands subject to this Agreement.

Surface Owner and their heirs or assigns shall have full access and use of the road built pursuant to this Agreement.

This Agreement shall inure to the benefit of the parties hereto, their heirs, successors and assigns and shall be a burden running with the land.

This Agreement may be executed in any number of counterparts and all such counterparts shall be deemed to constitute a single Agreement and the execution of one counterpart by any party hereto shall have the same force and effect as if said party had signed all other counterparts.

IN WITNESS WHEREOF, the parties have executed this Surface Damage Settlement Agreement effective as of the <u>27th</u> day of <u>January</u>, <u>2011</u>.

THE 1993 VERHOEF FAMILY	BILL BARRETT CORPORATION
By: Clarence Verhoef, Trustee	By: Little La June As Agent for Bill Barrett Corporation
Caronee Vernoer, Transco	As Agent for Bitt Barett Corporation
STATE OF UTAH	
COUNTY OF SALT LAKE)	
Verhoef, as Trustee of the 1993 Verhoe	, 2011, personally appeared before me <u>Clarence</u> <u>ef Family Trust</u> known to me to be the person ing instrument and acknowledged to me that he ensideration therein expressed. Notary Public Residing at:
My Commission Expires: 3-24-20	<u>213-</u>
STATE OF UTAH	
COUNTY OF SALT LAKE)	
Clint W. Turner , who, being by	
	Notary Public Residing at: SAH MKE, Mtah
My Commission Expires: 9 20 13	<u> </u>
E Company	NOTARY PULIC LAU LUC Commission No. 59 98 Commission Emires STATE OF UTAN

SURFACE USE PLAN

BILL BARRETT CORPORATION

1-18D-36 BTR Well Pad

NE NE, 464' FNL and 848' FEL, Section 18, T3S-R6W, USB&M (surface hole) NE NE, 810' FNL and 810' FEL, Section 18, T3S-R6W, USB&M (bottom hole) Duchesne County, UT

The onsite inspection for this pad occurred on July 20, 2011. Site specific conditions or changes as a result of that onsite are indicated below. Plat changes requested at the onsite are reflected within this APD.

- a) Two 18-inch culverts to be installed 1 at pad as shown on Topo B and one at the DWR property line, not shown on Topo B;
- b) Shrink corner 1 to keep fill from falling off of the ledge;
- c) Divert drainages around well pad as reflected on Figure 1;
- d) DWR may require a locked gate at the property line but will make final decision at easement approval;
- e) Landowner requests that pad be constructed as small as possible and interim reclamation area be maximized.
- f) Beetle Green paint color.

The excavation contractor would be provided with an approved copy of the surface use plan of operations before initiating construction.

1. Existing Roads:

- a. The proposed well site is located approximately 13.9 miles northwest of Duchesne, Utah. Maps and directions reflecting the route to the proposed well site are included (see Topographic maps A and B).
- b. The existing Duchesne County maintained Koch Road (CR 23) would be utilized for 4.3 miles to an existing El Paso maintained access road that will be utilized for 1.6 miles before connecting to the planned new access road.
- c. Project roads would require routine year-round maintenance to provide year-round access. Maintenance would include inspections, reduction of ruts and holes, maintenance to keep water off the road, replacement of surfacing materials, and clearing of sediment blocking ditches and culverts. Should snow removal become necessary, roads would be cleared with a motor grader and snow would be stored along the down gradient side to prohibit runoff onto the road. Aggregate would be used as necessary to maintain a solid running surface and minimize dust generation.
- d. Vehicle operators would obey posted speed restrictions and observe safe speeds commensurate with road and weather conditions. Travel would be limited to the existing access roads and proposed access road.

- e. The use of roads under State and Duchesne County Road Department maintenance are necessary to access the project area with no improvements proposed. No encroachment or pipeline crossing permits are required.
- f. All existing roads would be maintained and kept in good repair during all phases of operation.

2. Planned Access Road:

- a. Approximately 5,760 feet of new access road trending east is planned from an existing El Paso maintained access road (see Topographic Map B).
- b. The planned access road crosses both private and Utah Division of Wildlife Resources surface.
- c. The planned access road would be constructed to a 30-foot ROW width with an 18-foot travel surface. See section 12.d. below for disturbance estimates.
- d. New road construction and improvements of existing roads would typically require the use of motor graders, crawler tractors, 10-yard end dump trucks, and water trucks. The standard methodology for building new roads involves the use of a crawler tractor or track hoe to windrow the vegetation to one side of the road corridor, remove topsoil to the opposing side of the corridor, and rough-in the roadway. This is followed by a grader or bulldozer to establish barrow ditches and crown the road surface. Where culverts are required, a track hoe or backhoe would trench the road and install the culverts. Some hand labor would be required when installing and armoring culverts. Road base or gravel in some instances would be necessary and would be hauled in and a grader used to smooth the running surface.
- e. The proposed road would be constructed to facilitate drainage, control erosion and minimize visual impacts by following natural contours where practical. No unnecessary side-casting of material would occur on steep slopes.
- f. A maximum grade of 10% would be maintained throughout the project with minimum cuts and fills, as necessary, to access the well.
- g. Excess rock from construction of the pad may be used for surfacing of the access road if necessary. Any additional aggregate necessary would be obtained from private or State of Utah lands in conformance with applicable regulations. Aggregate would be of sufficient size, type, and amount to allow all weather access and alleviate dust.
- h. Where topsoil removal is necessary, it would be windrowed (i.e. stockpiled/accumulated along the edge of the ROW and in a low row/pile parallel with the ROW) and re-spread over the disturbed area after construction and backfilling are completed.

Vegetation removed from the disturbed area would also be re-spread to provide protection, nutrient recycling, and a seed source for reclamation.

- i. Turnouts are not proposed.
- j. Two 18 inch culverts and no low-water crossings are anticipated. Adequate drainage structures, where necessary, would be incorporated into the remainder of the road to prevent soil erosion and accommodate all-weather traffic.
- k. One gate located at the property boundary is anticipated at this time and may be required within the DWR easement documents.
- 1. Surface disturbance and vehicular travel would be limited to the approved location access road. Adequate signs would be posted, as necessary, to warn the public of project related traffic.
- m. All access roads and surface disturbing activities would conform to the appropriate standard, no higher than necessary, to accommodate their intended function adequately as outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, Fourth Edition Revised 2007.
- n. The operator would be responsible for all maintenance needs of the new access road.

3. <u>Location of Existing Wells (see One-Mile Radius Map):</u>

a. Following is a list of wells with surface hole locations within a one-mile radius of the proposed pad:

i.	water wells	none
ii.	injection wells	none
iii.	disposal wells	one
iv.	drilling wells	one
v.	temp shut-in wells	none
vi.	producing wells	none
vii.	abandoned wells	eight

4. <u>Location of Production Facilities</u>

- a. Surface facilities would consist of a wellhead, separator, gas meter, (1) 500 gal methanol tank, (1) 500 glycol tank, (3) 500 bbl oil tanks, (1) 500 bbl water tank, (1) 500 bbl test tank, (1) 1000 gal propane tank, a pumping unit or Roto-flex unit or gas lift unit with a natural gas fired motor, solar panels, solar chemical and methanol pumps and one trace pump. See attached proposed facility diagram.
- b. Most wells would be fitted with a pump jack or Roto-flex unit or gas lift to assist liquid production if liquid volumes and/or low formation pressures require it.

Plunger lift systems do not require any outside source of energy. The prime mover for pump jacks or Roto-flex units would be small (75 horsepower or less), natural gas-fired internal combustion engines. If a gas lift is installed, it would be set on a 10 ft x 15 ft pad and the prime mover would be a natural gas-fired internal combustion engine rated at 200 horsepower or less or an electric compressor of similar horsepower powered by a generator.

- c. The tank battery would be surrounded by a secondary containment berm of sufficient capacity to contain 1.1 times the entire capacity of the largest single tank and sufficient freeboard to contain precipitation. All loading lines and valves would be placed inside the berm surrounding the tank battery or would utilize catchment basins to contain spills. All liquid hydrocarbon production and measurement shall conform to the provisions of 43 CFR 3162.7-2 and Onshore Oil and Gas Order No. 4 for the measurement of oil.
- d. Gas meter run(s) would be constructed and located on lease within 500 feet of the wellheads. Meter runs would be housed and/or fenced. As practicably feasible, meters would be equipped with remote telemetry monitoring systems. All gas production and measurement shall comply with the provisions of 43 CFR 3162.7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.
- e. A combustor may be installed at this location for control of associated condensate tank emissions. A combustor ranges from 24 inches to 48 inches wide and is approximately 27 ft tall. Combustor placement would be on existing disturbance.
- f. Approximately 5,780 feet of pipeline corridor (see Topographic Map C) containing up to three lines (one gas pipeline up to 8 inch in diameter, one water line up to 4 inch in diameter and one residue line up to 4 inch in diameter) is proposed trending west to the existing El Paso maintained pipeline corridor. Pipelines would be constructed of steel, polyethylene or fiberglass and would connect to the proposed pipeline servicing nearby BBC and El Paso wells. The pipeline crosses both private and Utah Division of Wildlife Resources surface.
- g. The new segment of gas pipeline would be surface laid within a 30 foot wide pipeline corridor adjacent to the proposed access road. See 12.d below for disturbance estimates.
- h. Construction of the ROW would temporarily utilize the 30 foot disturbed width for the road for a total disturbed width of 60 foot for the road and pipeline corridors. The use of the proposed well site and access roads would facilitate the staging of the pipeline construction.
- i. Pipeline construction methods and practices would be planned and conducted by BBC with the objective of enhancing reclamation and fostering the reestablishment of the native plant community.

- j. All permanent above-ground structures would be painted a flat, non-reflective color, such as Beetle Green, to match the standard environmental colors. All facilities would be painted the designated color at the time of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded.
- k. Site security guidelines identified in 43 CFR 3162.7-5 and Onshore Oil and Gas Order No. 3 would be adhered to. Any modifications to proposed facilities would be reflected in the site security diagram submitted.
- 1. The site would require periodic maintenance to ensure that drainages are kept open and free of debris, and that surfaces are properly treated to reduce erosion, fugitive dust, and impacts to adjacent areas.

5. <u>Location and Type of Water Supply:</u>

a. Water for the drilling and completion would be trucked from any of the following locations:

Water Right No. and Application or Change No.	Applicant	Allocation	Date	Point of Diversion	Source
43-180	Duchesne City Water Service District	5 cfs	8/13/2004	Knight Diversion Dam	Duchesne River
43-1202, Change a13837	Myton City	5.49 cfr and 3967 acre feet	3/21/1986	Knight Diversion Dam	Duchesne River
43-10444, Appln A57477	Duchesne County Upper Country Water	2 cfs	1994	Ditch at Source	Cow Canyon Spring
43-10446, Appln F57432	Duchesne County Upper Country Water	1.58 cfs	1994	Ditch at Source	Cow Canyon Spring
43-1273, Appln A17462	J.J.N.P. Company	7 cfs	1946	Strawberry River	Strawberry River
43-1273, Appln t36590	J.J.N.P. Company	4 cfs	6/03/2010	Strawberry River	Strawberry River

- b. No new water well is proposed with this application.
- c. Should additional water sources be pursued they would be properly permitted through the State of Utah Division of Water Rights.
- d. Water use would vary in accordance with the formations to be drilled but would be up to approximately 5.41 acre feet for drilling and completion operations.

Bill Barrett Corporation Surface Use Plan #1-18D-36 BTR Duchesne County, UT

6. <u>Source of Construction Material:</u>

- a. The use of materials would conform to 43 CFR 3610.2-3.
- b. No construction materials would be removed from the lease or EDA area.
- c. If any additional gravel is required, it would be obtained from a local supplier having a permitted source of materials within the general area.

7. Methods of Handling Waste Disposal:

- a. All wastes associated with this application would be contained and disposed of utilizing approved facilities.
- b. The reserve pit would be constructed so as not to leak, break or allow any discharge.
- c. The reserve would be lined with 20 mil (minimum) thickness polyethylene nylon reinforced liner material. The liner(s) would overlay straw, dirt and/or bentonite if rock is encountered during excavation. The liner would overlap the pit walls and be covered with dirt and/or rocks to hold them in place. No trash, scrap pipe, or other materials that could puncture the liner would be discarded in the pit. A minimum of two feet of free board would be maintained between the maximum fluid level and the top of the reserve pit at all times.
- d. To deter livestock from entering the pit, the three sides exterior to the location would be fenced before drilling starts. Following the conclusion of drilling and completion activities, the fourth side would also be fenced.
- e. Drill cuttings would be contained in the pit and buried on-site for a period not to exceed six months, weather permitting
- f. Produced fluids from the well other than water would be decanted into steel test tank(s) until such time as construction of production facilities is completed. Any oil that may be accumulated would be transferred to a permanent production tank. Produced water may be used in further drilling and completion activities, evaporated in the pit, or would be hauled to one of the state-approved disposal facilities below:

Disposal Facilities

- 1. RNI Industries, Inc. Pleasant Valley Disposal Pits, Sec. 25, 26, 35 & 36, T4S-R3W
- 2. Pro Water LLC Blue Bench 13-1 Disposal Well (43-013-30971) NENE, Sec. 13, T3S-R5W
- 3. RN Industries, Inc. Bluebell Disposal Ponds, Sec. 2, 4 & 9, T2S-R2W
- 4. Water Disposal, Inc. Harmston 1-32-A1 Disposal Well (43-013-30224),

Bill Barrett Corporation Surface Use Plan #1-18D-36 BTR Duchesne County, UT

Disposal Facilities

UTR #00707, Sec. 32, T1S-R1W

- 5. Unified Water Pits Sec. 31, T2S-R4W
- 6. Iowa Tank Line Pits 8500 BLM Fence Road, Pleasant Valley
- g. Any salts and/or chemicals, which are an integral part of the drilling system, would be disposed of in the same manner as the drilling fluid.
- h. Any spills of oil, condensate, produced or frac water, drilling fluids, or other potentially deleterious substances would be recovered and either returned to its origin or disposed of at an approved disposal site, most likely in Duchesne, Utah.
- i. Chemicals on the EPA's Consolidated List of Chemicals subject to reporting under Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) may be used or stored in quantities over reportable quantities. In the course of drilling, BBC could potentially store and use diesel fuel, sand (silica), hydrochloric acid, and CO₂ gas, all described as hazardous substances in 40 CFR Part 302, Section 302.4, in quantities exceeding 10,000 pounds. In addition, natural gas condensate and crude oil and methanol may be stored or used in reportable quantities. Small quantities of retail products (paint/spray paints, solvents {e.g., WD-40}, and lubrication oil) containing non-reportable volumes of hazardous substances may be stored and used on site at any time. No extremely hazardous substances, as defined in 40 CFR 355, would be used, produced, stored, transported or disposed of in association with the drilling, testing or completion of the wells.
- j. Portable toilets and trash containers would be located onsite during drilling and completion operations. A commercial supplier would install and maintain portable toilets and equipment and would be responsible for removing sanitary waste. Sanitary waste facilities (i.e. toilet holding tanks) would be regularly pumped and their contents disposed of at approved sewage disposal facilities in Duchesne, and/or Uintah Counties, in accordance with applicable rules and regulations regarding sewage treatment and disposal. Accumulated trash and nonflammable waste materials would be hauled to an approved landfill once a week or as often as necessary. All debris and waste materials not contained in the trash containers would be cleaned up, removed from the construction ROW, well pad, or worker housing location, and disposed of at an approved landfill. Trash would be cleaned up everyday.
- k. Sanitary waste equipment and trash bins would be removed from the Project Area upon completion of access road or pipeline construction; following drilling and completion operations at an individual well pad; when worker housing is no longer needed; or as required.
- 1. A flare pit may be constructed a minimum of 110' from the wellhead(s) and may be used during completion work. In the event a flare pit proves to be unworkable, a temporary flare stack or open top tank would be installed.

BBC would flow back as much fluid and gas as possible into pressurized vessels, separating the fluids from the gas. In some instances, due to the completion fluids utilized within the Project Area, it is not feasible to direct the flow stream from the wellbore through pressurized vessels. In such instances BBC proposes to direct the flow to the open top tanks until flow through the pressurized vessels is feasible. At which point the fluid would either be returned to the reserve pit or placed into a tank(s). The gas would be directed to the flare pit, flare stack (each with a constant source of ignition), or may be directed into the sales pipeline.

m. Hydrocarbons would be removed from the reserve pit would as soon as practical. In the event immediate removal is not practical, the reserve pit would be flagged overhead or covered with wire or plastic mesh to protect migrating birds.

8. <u>Ancillary Facilities:</u>

- a. Garbage containers and portable toilets would be located on the well pad.
- b. On well pads where active drilling and completion is occurring, temporary housing would be provided on location for the well pad supervisor, geologist, tool pusher, and others that are required to be on location at all times. The well pad could include up to five single wide mobile homes or fifth wheel campers/trailers.
- c. A surface powerline corridor 5,781 feet in length is proposed for installation by third-party installer within a 150 foot wide powerline corridor adjacent to the proposed access road. See 12.d below for disturbance estimates.

9. Well Site Layout:

- a. The well would be properly identified in accordance with 43 CFR 3162.6.
- b. The pad layout, cross section diagrams and rig layout are enclosed (see Figures 1 and 2).
- c. The pad and road designs are consistent with industry specifications.
- d. The pad has been staked at its maximum size of 400 feet x 255 feet with an inboard reserve pit size of 200 feet x 100 feet x 8 feet deep. See section 12.d below for disturbance estimates.
- e. Within the approved well pad location, a crawler tractor would strip whatever topsoil is present and stockpile it along the edge of the well pad for use during reclamation. Vegetation would be distributed along the sides of the well pad.
- f. Fill from pit excavation would be stockpiled along the edge of the pit and the adjacent edge of the well pad.

- g. Use of erosion control measures, including proper grading to minimize slopes, diversion terraces and ditches, mulching, terracing, riprap, fiber matting, temporary sediment traps, and broad-based drainage dips or low water crossings would be employed by BBC as necessary and appropriate to minimize erosion and surface runoff during well pad construction and operation. Cut and fill slopes would be constructed such that stability would be maintained for the life of the activity.
- h. All cut and fill slopes would be such that stability can be maintained for the life of the activity.
- i. Diversion ditches would be constructed, if necessary, around the well site to prevent surface waters from entering the well site area.
- j. Water application may be implemented if necessary to minimize the amount of fugitive dust.
- k. All surface disturbing activities would be supervised by a qualified, responsible company representative who is aware of the terms and conditions of the APD and specifications in the approved plans.

10. Plan for Restoration of the Surface:

- a. A site specific reclamation plan would be submitted, if requested, within 90 days of location construction to the surface managing agency.
- b. Site reclamation would be accomplished for portions of the well pad not required for the continued operation of the well on this pad within six months of completion, weather permitting.
- c. The operator would control noxious weeds along access road use authorizations and well site by spraying or mechanical removal, according to the Utah Noxious Weed Act and as set forth in the approved surface damage agreements.
- d. Rat and mouse holes would be filled and compacted from bottom to top immediately upon release of the drilling rig from location. Upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1. The reserve pit would be allowed to dry prior to the commencement of backfilling work. No attempts would be made to backfill the reserve pit until it is free of standing water. Once dry, the liner would be torn and perforated before backfilling.
- e. The reserve pit and that portion of the location not needed for production facilities/operations would be recontoured to the approximate natural contours. Areas not used for production purposes would be backfilled and blended into the surrounding terrain, reseeded and erosion control measures installed. Mulching, erosion control measures and fertilization may be required to achieve acceptable stabilization. Back slopes and fore slopes would be reduced as practical and

scarified with the contour. The reserved topsoil would be evenly distributed over the slopes and scarified along the contour. Slopes would be seeded with the Ute Tribe specified seed mix.

f. Topsoil salvaged from the drill site and stored for more than one year would be placed at the location indicated on the well site layout drawing and graded to a depth optimum to maintain topsoil viability, seeded with the Ute Tribe prescribed seed mixture and covered with mulch for protection from wind and water erosion and to discourage the invasion of weeds.

11. <u>Surface and Mineral Ownership:</u>

- a. Surface ownership
 - Pad and segment of the access (810 feet), pipeline corridor (841 feet) and powerline corridor (810 feet): The 1993 Verhoef Family Trust.
 - Remaining segment of the access (4,950 feet), pipeline corridor (4.939 feet) and powerline corridor (4,971 feet): Utah Division of Wildlife Resources.
- b. Mineral ownership Ute Indian Tribe 988 South 7500 East; Ft. Duchesne, Utah 84026: 435-725-4982.

12. Other Information:

- a. Montgomery Archeological Consultants has conducted a Class III archeological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by Montgomery as report 10-277 dated June 16, 2011.
- b. BBC would require that their personnel, contractors, and subcontractors to comply with Federal regulations intended to protect archeological and cultural resources.
- c. Project personnel and contractors would be educated on and subject to the following requirements:
 - No dogs or firearms within the Project Area.
 - No littering within the Project Area.
 - Smoking within the Project Area would only be allowed in off-operator
 active locations or in specifically designated smoking areas. All cigarette
 butts would be placed in appropriate containers and not thrown on the
 ground or out windows of vehicles; personnel and contractors would abide
 by all fire restriction orders.
 - Campfires or uncontained fires of any kind would be prohibited.
 - Portable generators used in the Project Area would have spark arrestors.

Bill Barrett Corporation Surface Use Plan #1-18D-36 BTR Duchesne County, UT

d. Disturbance estimates:

Approximate Acreage Disturbances

Well Pad 4.432 acres

Access*
Pipeline*

Powerline 5,781 feet 19.906 acres

Total 32.285 acres

^{*}Access and Pipeline Disturbance included within the Powerline

Bill Barrett Corporation Surface Use Plan #1-18D-36 BTR Duchesne County, UT

OPERATOR CERTIFICATION

Certification:

I hereby certify that I, or someone under my direction supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein would be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application and that bond coverage is provided under Bill Barrett Corporations federal nationwide bond. These statements are subject to the provisions of 18 U.S.C. 1001 for the filings of false statements.

Executed this Name: 2011 Venessa Langmacher

Name: Venessa Langmacher
Position Title: Senior Permit Analyst

Address: 1099 18th Street, Suite 2300, Denver, CO 80202

Telephone: 303-312-8172

E-mail: vlangmacher@billbarrettcorp.com

Field Representative Kary Eldredge / Bill Barrett Corporation

Address: 1820 W. Highway 40, Roosevelt, UT 84066


Telephone: 435-725-3515 (office); 435-724-6789 (mobile)

E-mail: keldredge@billbarrettcorp.com

Venessa Langmacher, Senior Permit Analyst


BILL BARRETT CORPORATION

TYPICAL 5,000 p.s.i. BLOWOUT PREVENTER



BILL BARRETT CORPORATION

TYPICAL 5,000 p.s.i. CHOKE MANIFOLD





August 3, 2011

Ms. Diana Mason – Petroleum Technician State of Utah Division of Oil, Gas and Mining 1594 West North Temple, Suite 1210 P. O. Box 145801 Salt Lake City, Utah 84114-5801

Re: Directional Drilling R649-3-11

Blacktail Ridge Area #1-18D-36 BTR Well

Surface: 464' FNL & 848' FEL, NENE, 18-T3S-R6W, USM Bottom Hole: 810' FNL & 810' FEL, NENE, 18-T3S-R6W, USM

Duchesne County, Utah

Dear Ms. Mason,

Pursuant to the filing of Bill Barrett Corporation's ("BBC") Application for Permit to Drill the above referenced well, we hereby submit this letter in accordance with Oil & Gas Conservation Rules R649-2, R649-3, R649-10 and R649-11, pertaining to the Location and Siting of Wells.


- The proposed location is within our Blacktail Ridge Area.
- BBC is permitting this well as a directional well in order to minimize surface disturbance. By locating the well at the surface location and directionally drilling from this location, BBC will be able to utilize the existing road and pipelines in the area.
- The well will be drilled under an Exploration and Development Agreement between the Ute Indian Tribe and Ute Distribution Corporation. Ute Energy, LLC owns a right to participate in this well.
- BBC certifies that it is the working interest owner of all lands within 460 feet of the proposed well location, and together with Ute Energy, LLC, we own 100% of the working interest in these lands.

Based on the information provided, BBC requests that the permit be granted pursuant to R649-3-11. Should you have any questions or need further information, please contact me at 303-312-8544.

Sincerely

David Watts

Landman



APPROXIMATE YARDAGES

(6") Topsoil Stripping = 2,240 Cu. Yds. Remaining Location = 11,830 Cu. Yds.


> TOTAL CUT 14,070 CU.YDS. **FILL** 4,670 CU.YDS.

EXCESS MATERIAL = 9,400 Cu. Yds. = 4.700 Cu. Yds. Topsoil & Pit Backfill (1/2 Pit Vol.)

EXCESS UNBALANCE = 4,700 Cu. Yds. (After Interim Rehabilitation)

WELL SITE DISTURBANCE = \pm 4.432 ACRES ACCESS ROAD DISTURBANCE = \pm 3.967 ACRES PIPELINE DISTURBANCE = ± 3.980 ACRES $TOTAL = \pm 12.379 ACRES$

UINTAH ENGINEERING & LAND SURVEYING 85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017



ON-SITE PREDRILL EVALUATION

Utah Division of Oil, Gas and Mining

Operator BILL BARRETT CORP

Well Name 1-18D-36 BTR

API Number 43013509220000 APD No 4386 Field/Unit CEDAR RIM

Location: 1/4,1/4 NENE **Sec** 18 **Tw** 3.0S **Rng** 6.0W 464 FNL 848 FEL

GPS Coord (UTM) 534120 4452669 Surface Owner Clarence Verhoef, 1993 Verhoef Family Trust

Participants

James Hereford (BLM), Kary Eldredge (Bill Barrett), Roger Knight (Bill Barrett), Don Hamilton (Star Point), Trevor Anderson (UELS), Matt Serfustini (EIS), Richard Powell (DOGM), Kelly Jo Jackson (Montgomery), Alex Hansen (DWR)

Regional/Local Setting & Topography

This location is set on a bench on the north side of the Rabbit Gulch Drainage. To the north the land rises over rock ledges to a steep ridge. To the south and west the location drops off steeply over more rock ledges. Immediately south and west there is a large drop off. The location area drains to Rabbit Gulch to the south west. Rabbit Gulch is a large usually dry wash and the dominate drainage and namesake of this region. The gulch flows to Starvation Lake approximately 5 miles east. Duchesne, UT is approximately 13.9 miles by road to the east.

Surface Use Plan

Current Surface Use

Wildlfe Habitat

New Road Miles Well Pad Src Const Material Surface Formation

1.09 Width 260 Length 400 Onsite UNTA

Ancillary Facilities N

Waste Management Plan Adequate? Y

Environmental Parameters

Affected Floodplains and/or Wetlands N

Flora / Fauna

Deer, elk, coyote, rabbits and other small mammals, song birds, raptors Pinion, Juniper, prickly pear, very sparse to no grass, mahogany

Soil Type and Characteristics

Sandy loam soil over exposed rock outcropping.

Erosion Issues N

Sedimentation Issues N

Site Stability Issues N

Drainage Diverson Required? Y

Berm Required? Y

9/14/2011 Page 1

Erosion Sedimentation Control Required? N

Paleo Survey Run? Y Paleo Potental Observed? N Cultural Survey Run? Y Cultural Resources? N

Reserve Pit

Site-Specific Factors	Site Ra	ınking	
Distance to Groundwater (feet)	>200	0	
Distance to Surface Water (feet)	>1000	0	
Dist. Nearest Municipal Well (ft)	>5280	0	
Distance to Other Wells (feet)	>1320	0	
Native Soil Type	Mod permeability	10	
Fluid Type	Fresh Water	5	
Drill Cuttings	Normal Rock	0	
Annual Precipitation (inches)	10 to 20	5	
Affected Populations			
Presence Nearby Utility Conduits	Not Present	0	
	Final Score	20	1 Sensitivity Level

Characteristics / Requirements

The reserve pit will be placed in cut in a stable location. The pit will be 100ft x 200ft x 8ft deep with a total capacity including freeboard of 16,830bbl. Kary Eldredge of BBC said they will use a 16 mil liner with a felt sub-liner and this will be adequate for the site.

Closed Loop Mud Required? N Liner Required? Y Liner Thickness 16 Pit Underlayment Required? Y

Other Observations / Comments

It was agreed during the onsite that the west side of this location would be shrunk at least 10 feet to keep excation cut material from being pushed over the steep ledge on the west side of location making reclaimation nearly impossible. This is not reflected on the submitted map. This onsite was done prior to DOGM receiving the APD.

Richard Powell 7/20/2011 **Evaluator** Date / Time

9/14/2011 Page 2

Application for Permit to Drill Statement of Basis

Utah Division of Oil, Gas and Mining

Page 1

APD No API WellNo Status Well Type Surf Owner CBM
4386 43013509220000 LOCKED OW P No

Operator BILL BARRETT CORP Surface Owner-APD Clarence Verhoef, 1993 Verhoef

Family Trust

Well Name 1-18D-36 BTR Unit

Field CEDAR RIM Type of Work DRILL

Location NENE 18 3S 6W U 464 FNL 848 FEL GPS Coord (UTM) 534118E 4452669N

Geologic Statement of Basis

9/14/2011

The mineral rights for the proposed well are owned by the Ute Tribe. The BLM will be the agency responsible for evaluating and approving the drilling, casing and cement programs.

Brad Hill 9/8/2011 **APD Evaluator Date / Time**

Surface Statement of Basis

This onsite evaluation was arranged by James Hereford of the BLM in cooperation with Bill Barrett Corp and was scheduled prior to the APD being submitted to UDOGM. According to Mr. Hereford, the land owner Mr. Verhoef was invited but chose not to attend. Mr. Hereford said that Mr. Verhoef asked that the location be reclaimed as small as possible. A surface use agreement is in place.

On the west side of this location there is sharp drop off and it is evident that during construction much material will pushed over this ledge and reclamation of this side of the location will be difficult to impossible. I spoke of this with the onsite attendees. Mr. Hereford shared this concern and Kary Eldredge of BBC agreed that this would be a problem. It was agreed that the west side of the location could be shrunk at least 10 feet. But, the survey map as submitted does not reflect this agreed to change.

There is a small drainage which must be diverted around the south side of the location. Roger Knight, Bill Barrett construction supervisor agreed to ensure this diversion is made. Kary Eldredge of Bill Barrett stated that a 16 mil liner and felt subliner would be used. Mr. Hereford of the BLM requested that the wood removed from this location be piled for use during reclamation. This appears to be a good site for this location.

The access to this location crosses DWR land. Alex Hansen of DWR asked about the access and was informed by the surveyor that there was no other reasonable access to this location. Mr. Hansen said that the access route was OK but wanted it be clear that DWR would control access through a locked gate and only authorized well traffic would be permitted.

Richard Powell 7/20/2011

Onsite Evaluator Date / Time

Conditions of Approval / Application for Permit to Drill

Category Condition

Pits A synthetic liner with a minimum thickness of 16 mils with a felt subliner shall be properly installed and maintained in the

reserve pit.

Surface The well site shall be bermed to prevent fluids from leaving the pad.

Surface Drainages adjacent to the proposed pad shall be diverted around the location.

Surface The reserve pit shall be fenced upon completion of drilling operations.

Surface The west side of this location must be shrunk enough to keep excavated cut material from being pushed over the steep

ledge adjacent to the location.

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 8/10/2011 API NO. ASSIGNED: 43013509220000

WELL NAME: 1-18D-36 BTR

PHONE NUMBER: 303 312-8172 **OPERATOR:** BILL BARRETT CORP (N2165)

CONTACT: Venessa Langmacher

PROPOSED LOCATION: NENE 18 030S 060W **Permit Tech Review:**

> SURFACE: 0464 FNL 0848 FEL **Engineering Review:**

BOTTOM: 0810 FNL 0810 FEL Geology Review:

COUNTY: DUCHESNE

LATITUDE: 40.22565 LONGITUDE: -110.59899 NORTHINGS: 4452669.00

UTM SURF EASTINGS: 534118.00 FIELD NAME: CEDAR RIM

LEASE TYPE: 2 - Indian

LEASE NUMBER: 20G0005608 PROPOSED PRODUCING FORMATION(S): GREEN RIVER-WASATCH

SURFACE OWNER: 4 - Fee COALBED METHANE: NO

RECEIVED AND/OR REVIEWED: PLAT	LOCATION AND SITING: R649-2-3.
▶ Bond: INDIAN - LPM8874725	Unit:
Potash	R649-3-2. General
Oil Shale 190-5	
Oil Shale 190-3	R649-3-3. Exception
Oil Shale 190-13	✓ Drilling Unit
Water Permit: Duchesne City Culinary Water Dock	Board Cause No: Cause 139-84
RDCC Review:	Effective Date: 12/31/2008
✓ Fee Surface Agreement	Siting: 660' Fr Drl U Bdry & 1320' Fr Other Wells

✓ R649-3-11. Directional Drill

Commingling Approved


Comments: Presite Completed

Intent to Commingle

Stipulations:

4 - Federal Approval - dmason 5 - Statement of Basis - bhill 15 - Directional - dmason

API Well No: 43013509220000



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: 1-18D-36 BTR
API Well Number: 43013509220000
Lease Number: 2OG0005608
Surface Owner: FEE (PRIVATE)

Approval Date: 9/14/2011

Issued to:

BILL BARRETT CORP, 1099 18th Street Ste 2300, Denver, CO 80202

Authority:

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 139-84. The expected producing formation or pool is the GREEN RIVER-WASATCH Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis (copy attached).

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at http://oilgas.ogm.utah.gov

API Well No: 43013509220000

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

Approved By:

For John Rogers Associate Director, Oil & Gas Sundry Number: 29042 API Well Number: 43013509220000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SE 20G0005608	RIAL NUMBER:	
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TR	IBE NAME:
	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA AGREEMENT NAM	ΛΕ:
1. TYPE OF WELL Oil Well				8. WELL NAME and NUMBER: 1-18D-36 BTR	
2. NAME OF OPERATOR: BILL BARRETT CORP				9. API NUMBER: 43013509220000	
3. ADDRESS OF OPERATOR: 1099 18th Street Ste 2300	, Denver, CO, 80202		NE NUMBER: 312-8164 Ext	9. FIELD and POOL or WILDCA CEDAR RIM	T:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0464 FNL 0848 FEL				COUNTY: DUCHESNE	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NENE Section: 1	HIP, RANGE, MERIDIAN: 8 Township: 03.0S Range: 06.0W Me	eridian:	U	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDIC	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION		
7	ACIDIZE		ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME	
6/1/2013	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEPEN	☐ F	RACTURE TREAT	NEW CONSTRUCTION	
Date of Work Completion:	OPERATOR CHANGE	☐ F	PLUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME	□ F	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FOR	RMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT	WATER SHUTOFF		SI TA STATUS EXTENSION	✓ APD EXTENSION	
Report Date:					
	WILDCAT WELL DETERMINATION		OTHER	OTHER:	
	COMPLETED OPERATIONS. Clearly sho				la a
BBC reques	sts a one year extension for	tne s	Subject APD.	Approved by the Utah Division	
				Oil, Gas and Mir	
				Date: August 28, 20	012
				Date: August 28, 20	00
				By:	200
NAME (PLEASE PRINT) Venessa Langmacher	PHONE NUN 303 312-8172	IBER	TITLE Senior Permit Analyst		
SIGNATURE	330 012 0112		DATE		
N/A			8/16/2012		

Sundry Number: 29042 API Well Number: 43013509220000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013509220000

API: 43013509220000 Well Name: 1-18D-36 BTR

Location: 0464 FNL 0848 FEL QTR NENE SEC 18 TWNP 030S RNG 060W MER U

Company Permit Issued to: BILL BARRETT CORP

Date Original Permit Issued: 9/14/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Venessa Langmacher Date: 8/16/2012

Sig

Title: Senior Permit Analyst Representing: BILL BARRETT CORP

Form 3160-3 (August 2007)

RECEIVED

UNITED STATES
DEPARTMENT OF THE INTERIOR
BURFALLOF LAND MANAGEMENT

AUG 2 4 2011

FORM APPROVED OMB No. 1004-0136 Expires July 31, 2010

BUREAU OF LAND	MANAGEMENT	20G0005608		
APPLICATION FOR PERMIT	TO DRILL OR REENTER	6. If Indian, Allottee or Tribe Name		
Ia. Type of Work: DRILL REENTER		7. If Unit or CA Agreement,	Name and No.	
1b. Type of Well: ☑ Oil Well ☐ Gas Well ☐ Oth		8. Lease Name and Well No. 1-18D-36 BTR		
Name of Operator Contact: BILL BARRETT CORPORATION E-Mail: vlangma	VENESSA LANGMACHER cher@billbarrettcorp.com	9. API Well No. 43-013-509	77	
3a. Address 1099 18TH STREET SUITE 2300 DENVER, CO 80202	3b. Phone No. (include area code) Ph: 303-312-8172 Fx: 303-291-0420	10. Field and Pool, or Explor CEDAR RIM	atory	
4. Location of Well (Report location clearly and in accorded	ance with any State requirements.*)	11. Sec., T., R., M., or Blk. a	nd Survey or Area	
At surface NENE 464FNL 848FEL 40	.225589 N Lat, 110.599692 W Lon	Sec 18 T3S R6W Me	r UBM	
At proposed prod. zone NENE 810FNL 810FEL 40	.224639 N Lat, 110.599539 W Lon			
 Distance in miles and direction from nearest town or post 13.9 MILES NORTHWEST OF DUCHESNE, UT 		12. County or Parish DUCHESNE	13. State UT	
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any)	16. No. of Acres in Lease	17. Spacing Unit dedicated to this well		
810' (BTM. HOLE)	66101.00	640.00		
18. Distance from proposed location to nearest well, drilling,	19. Proposed Depth	20. BLM/BIA Bond No. on file		
completed, applied for, on this lease, ft. 1059'	11284 MD 11262 TVD	LPM8874725		
21. Elevations (Show whether DF, KB, RT, GL, etc. 6463 GL	22. Approximate date work will start 01/01/2012 23. Estimated duration 60 DAYS (D&C)		3 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	24. Attachments	MAY 1 4	2013	
 The following, completed in accordance with the requirements Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest Sys SUPO shall be filed with the appropriate Forest Service On 	4. Bond to cover the operat. Item 20 above). 5. Operator certification	to this form: ions unless covered by an existing an existing and an existing an exist	g bond on file (see	
25. Signature (Electronic Submission)	Name (Printed/Typed) VENESSA LANGMACHER Ph: 303-312-8172 Date 08/10/201		Date 08/10/2011	
Title SENIOR PERMIT ANALYST		•		
Approved by (Signature)	Name (Printed/Typed) Jerry Kenczka	a	MAY 0 9 201	
Title Assistant Field Manager Lands & Mineral Resources	Office VERNAL FIELD OFFICE			
	TIONS OF APPROVAL ATTACHED			
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212	make it a crime for any person knowingly and willfull	v to make to any department or a	gency of the United	

Additional Operator Remarks (see next page)

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Electronic Submission #114981 verified by the BLM Well Information System For BILL BARRETT CORPORATION, sent to the Vernal Committed to AFMSS for processing by LESLIE ROBINSON on 08/25/2011 ()

NOTICE OF APPROVAL



** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

1551745AS

1/15-10/23/11



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Well No:

Bill Barrett Corporation

Well No:

1-18D-36 BTR 43-013-50922 Location: Lease No: **NENE, Sec. 18, T3S, R6W**

2OG0005608

Agreement:

N/A

OFFICE NUMBER:

(435) 781-4400

OFFICE FAX NUMBER:

(435) 781-3420

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Construction Activity (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	-	The Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist shall be notified at least 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday.
Construction Completion (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	-	Upon completion of the pertinent APD/ROW construction, notify the Ute Tribe Energy & Minerals Dept. for a Tribal Technician to verify the Affidavit of Completion. Notify the BLM Environmental Scientist prior to moving on the drilling rig.
Spud Notice (Notify BLM Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify BLM Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: blm_ut_vn_opreport@blm.gov .
BOP & Related Equipment Tests (Notify BLM Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify BLM Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

Page 2 of 6 Well: 1-18D-36 BTR

5/8/2013

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- Any deviation of submitted APD's, which includes BBCs surface use plan, and ROW
 applications the operator will notify the BLM in writing and will receive written authorization of
 any such change with appropriate authorization.
- The operator will implement "Safety and Emergency Plan." The operator's safety director will ensure its compliance.
- All operator employees and/or authorized personnel (sub-contractors) in the field will have approved applicable APD's, COAs, and ROW permits/authorizations on their person(s) during all phases of construction.
- All vehicular traffic, personnel movement, construction/restoration operations shall be confined to the area examined and approved, and to the existing roadways and/or evaluated access routes.
- Noxious weeds will be treated, monitored, and controlled along both the access road, pipeline route, and on the well pad itself.
- Insure topsoil stability on location and use topsoil for interim reclamation as soon as possible to
 maintain viability of the topsoil resource. If stored for a longer period of time then topsoil will be
 maintained to increase viability until the resource can be used for reclamation purposes only.
- All above ground production facilities will be painted Beetle Green on all locations to help blend in with the surrounding habitat, unless otherwise directed by the landowners or BLM AO.
- The operator must conduct operations to minimize adverse effects to surface and subsurface resources. This will be accomplished by staying on the approved acres of disturbance, and conforming to dust mitigation technology and doing interim reclamation practices on unused portions of the proposal.
- All dry washes will be diverted away from the actual well pad as discussed during the onsite investigation, and as agreed to by the landowners.
- All production equipment will be placed towards the front of the proposed well pad to maximize interim reclamation as discussed and agreed upon during the onsite.
- Site reclamation will be accomplished for portions of the well pad not needed for production, within 6 months of completion, weather permitting. This also includes any roads, and pipeline areas that have been disturbed as well. Road areas not being used and pipeline disturbances can undergo reclamation immediately after the pipeline is installed and after the roads are built. Please contact the private landowner for seed mixes that work in the area. This is could also be included in the reclamation plan from BBC. Seeds must be planted in August and prior to ground freeze. Non-natives can be used; however lbs/ac must be kept low to minimize the chance of a monoculture.

Page 3 of 6 Well: 1-18D-36 BTR

5/8/2013

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

 Production casing cement shall be brought up and into the surface casing. Then minimum cement top is 400 ft above the surface casing shoe.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
 daily drilling report. Components shall be operated and tested as required by Onshore Oil &
 Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
 performed by a test pump with a chart recorder and NOT by the rig pumps. Test shall be
 reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water
 is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM
 Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person

Page 4 of 6 Well: 1-18D-36 BTR 5/8/2013

making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the <u>top of cement</u> and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in CD (compact disc) format to the Vernal BLM Field Office. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 5 of 6 Well: 1-18D-36 BTR 5/8/2013

OPERATING REQUIREMENT REMINDERS:

 All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.

- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written
 communication and must be received in this office by not later than the fifth business day
 following the date on which the well is placed on production. The notification shall provide, as a
 minimum, the following informational items:
 - o Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if

Page 6 of 6 Well: 1-18D-36 BTR 5/8/2013

performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs
 first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES			5.LEASE DESIGNATION AND SERIAL NUMBER:	
	DIVISION OF OIL, GAS, AND MIN	NG	2OG0005608	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: 1-18D-36 BTR	
2. NAME OF OPERATOR: BILL BARRETT CORP			9. API NUMBER: 43013509220000	
3. ADDRESS OF OPERATOR:		PHONE NUMBER:	9. FIELD and POOL or WILDCAT:	
1099 18th Street Ste 2300		03 312-8134 Ext	CEDAR RIM	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0464 FNL 0848 FEL			COUNTY: DUCHESNE	
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: NENE Section: 1	HIP, RANGE, MERIDIAN: 18 Township: 03.0S Range: 06.0W Merid	ian: U	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
6/1/2014	l <u></u>	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
	CHANGE WELL STATUS			
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	L PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12 DESCRIBE BROROSED OR	COMPLETED OPERATIONS. Clearly show al	I portinant datails including dates	donthe volumes atc	
I .	submitted to request a one			
Time suriary is being	APD	year exterision one tins	Utah Division of	
			Oil, Gas and Mining	
			Date: August 15, 2013	
			Date. Do cut 100	
			By:	
			Q G	
NAME (PLEASE PRINT) Christina Hirtler	PHONE NUMBE 303 312-8597	R TITLE Administrative Assistant		
SIGNATURE	000 012 0007	DATE		
N/A		8/14/2013		



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013509220000

API: 43013509220000 **Well Name:** 1-18D-36 BTR

Location: 0464 FNL 0848 FEL QTR NENE SEC 18 TWNP 030S RNG 060W MER U

Company Permit Issued to: BILL BARRETT CORP

Date Original Permit Issued: 9/14/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
natura. Christina Hirtlar Data: 9/14/2012

Signature: Christina Hirtler Date: 8/14/2013

Title: Administrative Assistant Representing: BILL BARRETT CORP

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005608
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: 1-18D-36 BTR
2. NAME OF OPERATOR: BILL BARRETT CORP			9. API NUMBER: 43013509220000
3. ADDRESS OF OPERATOR: 1099 18th Street Ste 2300		DNE NUMBER: 312-8134 Ext	9. FIELD and POOL or WILDCAT: CEDAR RIM
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0464 FNL 0848 FEL			COUNTY: DUCHESNE
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 8 Township: 03.0S Range: 06.0W Meridian	: U	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
9/14/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
Julio di Opular		SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON
		VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:		SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show all pe		The state of the s
BBC reques	sts a one year extension for the	subject APD.	Approved by the
			Utabusivis8012014 Oil, Gas and Mining
			Date:
			By: Dally
			13
NAME (DI EACE DOINT)	DUONE NUMBER	TITLE	
NAME (PLEASE PRINT) Christina Hirtler	PHONE NUMBER 303 312-8597	TITLE Administrative Assistant	
SIGNATURE		DATE	
N/A		8/15/2014	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013509220000

API: 43013509220000 Well Name: 1-18D-36 BTR

Location: 0464 FNL 0848 FEL QTR NENE SEC 18 TWNP 030S RNG 060W MER U

Company Permit Issued to: BILL BARRETT CORP

Date Original Permit Issued: 9/14/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Christina Hirtler Date: 8/15/2014

Title: Permit Analyst Representing: BILL BARRETT CORP

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005608
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: 1-18D-36 BTR
2. NAME OF OPERATOR: BILL BARRETT CORP			9. API NUMBER: 43013509220000
3. ADDRESS OF OPERATOR: 1099 18th Street Ste 2300		DNE NUMBER: 312-8134 Ext	9. FIELD and POOL or WILDCAT: CEDAR RIM
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0464 FNL 0848 FEL			COUNTY: DUCHESNE
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 8 Township: 03.0S Range: 06.0W Meridian	: U	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
9/14/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
Julio di Opular		SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON
		VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:		SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show all pe		The state of the s
BBC reques	sts a one year extension for the	subject APD.	Approved by the
			Utabusivis8012014 Oil, Gas and Mining
			Date:
			By: Dally
			13
NAME (DI EACE DOINT)	DUONE NUMBER	TITLE	
NAME (PLEASE PRINT) Christina Hirtler	PHONE NUMBER 303 312-8597	TITLE Administrative Assistant	
SIGNATURE		DATE	
N/A		8/15/2014	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013509220000

API: 43013509220000 Well Name: 1-18D-36 BTR

Location: 0464 FNL 0848 FEL QTR NENE SEC 18 TWNP 030S RNG 060W MER U

Company Permit Issued to: BILL BARRETT CORP

Date Original Permit Issued: 9/14/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Christina Hirtler Date: 8/15/2014

Title: Permit Analyst Representing: BILL BARRETT CORP

Form 3160-5 (August 2007)

RECEIVED UNITED STATES
DEPARTMENT OF THE INTERIOR

MAR 3 0 2015

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter a labandoned well. Use form 3160-3 (APD) for such proposals.				5. Lease Serial No. 1420H626512			
				6. If Indian, Allottee or Tribe Name UINTAH AND OURAY			
SUBMIT IN TRIPLICATE - Other instructions on reverse side.				7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Weil					8. Well Name and No. 1-18D-36 BTR		
2. Name of Operator Contact: BRADY RILEY BILL BARRETT CORPORATION E-Mail: briley@billbarrettcorp.com				9. API Well No. 43-013-50922-0)0-X1		
			o. (include area code 12-8115)	10. Field and Pool, or Exploratory CEDAR RIM		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish,	and State	
Sec 18 T3S R6W NENE 464 40.225589 N Lat, 110.59969			DUCHESNE CO	DUNTY, UT			
12. CHECK API	PROPRIATE BOX(ES) TO	O INDICATE	NATURE OF	NOTICE, RE	PORT, OR OTHE	R DATA	
TYPE OF SUBMISSION		TYPE OF ACTION					
Notice of Intent ☐ Subsequent Report	☐ Acidize ☐ Alter Casing	_	cture Treat	☐ Reclama		☐ Water Shut-Off ☐ Well Integrity	
	Casing Repair	. –	v Construction	□ Recomp			ΙA
☐ Final Abandonment Notice	☐ Change Plans ☐ Convert to Injection	☐ Plug ☐ Plug	g and Abandon	☐ Tempora	rily Abandon	PD	
Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for BBC is hereby requesting a the APD 5/9/13 NEWA- 2013-190 EM	d operations. If the operation re- bandonment Notices shall be file final inspection.)	sults in a multipl ed only after all	e completion or reco requirements, includ	ompletion in a no ling reclamation es on 5/8/201	ew interval, a Form 316 , have been completed, a	0-4 shall be filed once and the operator has	•
CONDITIONS OF APPROVAL ATTACHE					PET		
14. I hereby certify that the foregoing	Electronic Submission #2	RETT CORPO	RATION, sent to	the Vernal			
Name (Printed/Typed) BRADY F	RILEY		Title PERMI	TANALYST			
Signature (Electronic	Submission)		Date 03/30/2	015			
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE US	Έ		
Approved By	<u> </u>				ld Manager al Resources	APR 1 0	2015
Conditions of approval, if any, are much ertify that the applicant holds legal or ec which would entitle the applicant to cond	ed. Approval of this notice does uitable title to those rights in the uct operations thereon.	not warrant or subject lease	Office	ERNAL FI			

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



CONDITIONS OF APPROVAL

Bill Barrett Corporation

Notice of Intent APD Extension

Lease:

1420H626512

Well:

1-18D-36 BTR

Location:

NENE Sec 18-T3S-R6W

An extension for the referenced APD is granted with the following conditions:

- 1. The extension and APD shall expire on 05/09/2017.
- 2. No other extensions shall be granted.

If you have any other questions concerning this matter, please contact Robin L Hansen of this office at (435) 781-2777

	FORM 9					
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005608					
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME:					
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: 1-18D-36 BTR					
2. NAME OF OPERATOR: BILL BARRETT CORP	9. API NUMBER: 43013509220000					
3. ADDRESS OF OPERATOR: 1099 18th Street Ste 2300	9. FIELD and POOL or WILDCAT: CEDAR RIM					
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0464 FNL 0848 FEL	COUNTY: DUCHESNE					
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENE Section: 18 Township: 03.0S Range: 06.0W Meridian: U			STATE: UTAH			
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA						
TYPE OF SUBMISSION						
7	ACIDIZE	ALTER CASING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
7/6/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION			
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK			
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
DRILLING REPORT	☐ WATER SHUTOFF ☐	SI TA STATUS EXTENSION	APD EXTENSION			
Report Date:	☐ WILDCAT WELL DETERMINATION ✓	OTHER	OTHER: UPDATED SUA			
12 DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all pe	ertinent details including dates, d				
l .	SE FIND THE UPDATED SUA FOR		Accepted by the			
			Utah Division of			
			Oil, Gas and Mining			
			Date:			
			B. 1 00 CAIN			
			By:			
NAME (PLEASE PRINT) Brady Riley	PHONE NUMBER 303 312-8115	TITLE Permit Analyst				
SIGNATURE N/A		DATE 7/6/2015				



Uintah Basin Operations 1820 West Hwy 40 Roosevelt, Ut 84066

January 7, 2012

Clarence Verhoef Trustee of The 1993 Verhoef Family Trust 7974 South Siesta Drive Sandy, UT 84093

Re: Compensation for Surface Land Use Agreement

By Agreement effective January 7, 2012, you granted to Bill Barrett Corporation a Surface Damage and Right-of-Way Settlement Agreement for a wellsite, pipeline(s) right of way and access road in certain parts of Section 18, T3S R6W, USM, Duchesne County, Utah.

In addition the the compensation set forth above, BBC will also construct, a spur road to your cabin from the proposed access road. Said spur road will be of the same construction as the wellsite access road.

Very truly yours,

Jacob Woodland

Landman, Bill Barrett Corporation

Accepted and agreed to:

By: []

Date 1/30/13

Clarence Verhoef, Trustee of The 1993 Verhoef Family Trust

SURFACE DAMAGE AND RIGHT-OF-WAY SETTLEMENT AGREEMENT

This Agreement, made and entered into this the 30 day of 18 must, 2013, by and between Clarence Verhoef, as Trustee of the 1993 Verhoef Family Trust, 7974 South Siesta Drive, Sandy, UT 84093 ("Surface Owner") and Bill Barrett Corporation, 1099 18th Street, Suite 2300, Denver CO 80202, ("BBC").

WITNESSETH THAT:

WHEREAS, BBC owns undivided interests in certain oil and gas leases ("leases") covering and affecting <u>All of Section 18</u>, Township 3 South, Range 6 West, <u>USM</u>, of <u>Duchesne County</u>, Utah; and,

WHEREAS, such leases grant to BBC the right and privilege of ingress, egress, exploring, drilling, mining, operating for, producing and owning oil and gas and all other products produced therewith, together with the right to make surveys on said lands, lay pipelines, construct roads and bridges, dig canals, build power stations, telephone lines, employee houses and other structures on said lands, necessary or useful in BBC's operations; and,

WHEREAS, BBC, pursuant to its rights under the Leases, intends to drill the #1-18D-36 BTR well at a legal drill-site location in the NE1/4NE1/4, of Section 18, Township 3 South, Range 6 West, USM, Duchesne County, Utah; and,

WHEREAS, Surface Owner warrants ownership to the surface of at least specific portions of the NE1/4NE1/4, N1/2SE1/4NE1/4 of Section 18, Township 3 South, Range 6 West, USM, Duchesne County, Utah, and which warranted ownership is further subject to all oil, gas and other mineral rights which are reserved for the use and benefit of the owners thereof; and,

WHEREAS, BBC has agreed to reimburse Surface Owner for actual damages and injuries to all crops, timber, fences and other improvements located on the surface which results from BBC's operations hereunder, provided that BBC shall not be held liable or responsible for acts of providence or occurrences beyond BBC's control, such payment to be made upon commencement of operations to construct the wellsite pad; so,

NOW, THEREFORE, in consideration of TEN (10) AND MORE DOLLARS (\$10.00) and other good and valuable consideration paid by BBC to Surface Owner, the receipt and sufficiency of which is hereby acknowledged, said Surface Owner does hereby release BBC, its agents, employees, licensees, permittees, successors and assigns from all claims for damages as hereinafter provided, which are occasioned by any drilling, testing, completing, producing, operating, reworking and abandoning operations conducted by BBC at the above mentioned well, and agrees that BBC, its agents, employees, licensees, permittees, successors and assigns, may enter upon said premises and construct and maintain such roadways, bridges, and other means of access as are necessary to enable BBC on said location, for the purpose of erecting all necessary surface equipment, including but not limited to separators and tank battery storage facilities and other related facilities for the operating of the subject well or any other well(s) operated by BBC in the general area. Said location and road to be located as shown on Exhibit "A" attached hereto.

For the same consideration, Surface Owner does hereby grant and convey unto BBC, its successors and assigns, the right, at any time and from time to time, to lay, construct, reconstruct, replace, renew, operate, maintain, repair, change the size of, and remove pipes or pipelines for the transportation of oil, petroleum or any of its products, gas, water, saltwater and other substances, or any byproducts thereof, along, over, through, upon under and across the route of any such lines constructed hereunder, together with rights of ingress and egress to and from said line or lines for the purposes aforesaid. Such pipeline or pipelines to be buried to a depth below ordinary plow depth.

Such pipeline or pipelines to be constructed within the boundaries of the right-of-way granted herein as shown on Exhibit "B" attached hereto.

Surface Owner hereby releases BBC, its successors and assigns, from any and all damages and claims asserted. The consideration paid by BBC to Surface Owner is accepted by Surface Owner as full and final satisfaction for any and all damages and claims for damages to the surface which result from any of BBC's operations and privileges granted under the above Leases. Surface Owner hereby waives the right to collect any further and additional damages that may hereafter be asserted in connection with BBC's use of the land as further described on Exhibits "A and B" attached hereto and agrees to accept in lieu of any such future claims the agreed upon payment provided for in this Agreement.

Nothing herein shall alter or affect the rights of either party hereto with respect to surface use or disturbance of Surface Owner's land surrounding the drillsite locations, respectively, and BBC agrees to give Surface Owner advance notice of its intended use of any such surrounding land before commencing any operations thereon pursuant to its rights. Compensation for the use of any additional lands used by BBC shall be mutually agreed upon.

Surface Owner and BBC do hereby release, discharge and acquit the other from any and all liability, and shall indemnify the other against any and all claims and demands for damages, attorneys fees, injury or loss, existing now or done hereafter, to the surface of said lands or to any third parties arising out of or being the result of their or their agents, contractors licensees, permittees, successors and assigns own activities on or use of the subject property. However, such parties' potential liability under this paragraph to the other shall be limited to the acts and/or omission of its, or its predecessors, agents, contractors, licensees, permittees, successor and assigns, and shall not include any acts and/or omissions of the other party, it agents, contractors, licensees, permittees, successors or assigns. BBC shall reasonably maintain the subject property in order to prevent unnecessary deterioration of the surface and to keep the property in an unlittered condition.

Any topsoil which is removed by BBC on Surface Owner's land will be stockpiled at the drillsite and will be redistributed on the drillsite upon completion of all operations and the land reseeded with grasses and/or native plants by BBC upon written request by Surface Owner. All mud pits will be filled and material and debris will be removed from the drillsite upon completion of operations. BBC shall remove from the lands covered hereby, at any time during the term hereof or within six (6) months after the plugging and abandonment of the well drilled pursuant to this Agreement, any or all structures, pipes, equipment and other facilities placed on, over, under, through and across any lands covered hereby, excepting fences, culverts, and other land improvements required by the Surface Owner, and title thereto shall be vested in BBC at all times, and shall in no event be considered or construed as fixtures thereto.

BBC shall maintain all roads used pursuant to this Agreement and shall install culverts where necessary to insure adequate drainage from all roads. Additionaly BBC will maintain the access road so as to minimize dust from traffic.

Surface Owner and their heirs or assigns shall have full access and use of the road built pursuant to this Agreement.

Where feasible, BBC shall utilize electricly driven pumpjacks. In the event electricly driven pumpjacks are not feasible, reasonable efforts will be made to muffle the alternate power source noise levels to at least equal that of an electricly driven pumpjack.

BBC will provide and install downcast shades on all location lighting.

This Agreement shall inure to the benefit of the parties hereto, their heirs, successors and assigns and shall be a burden running with the land.

This Agreement may be executed in any number of counterparts and all such counterparts shall be deemed to constitute a single Agreement and the execution of one counterpart by any party hereto shall have the same force and effect as if said party had signed all other counterparts.

IN WITNESS WHEREOF, the parties have executed this Surface Damage Settlement Agreement effective as of the 30 day of January, 2013.

GRANTOR:
THE 1993 VERHOEF FAMILY TRUST

By:
Clarence Verhoef, Trustee


On the ______ day of ______, 2013, personally appeared before me ______ Clarence Verhoef. As Trustee of the 1993 Verhoef Family First known to me to be the


Clarence Verhoef, As Trustee of the 1993 Verhoef Family Trust known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he/she executed the same for the purpose and consideration therein expressed. Notary Public My Commission Expires: NOTARIAL CERTIFICAT STATE OF COLORADO CITY AND COUNTY OF DENVER The foregoing instrument was acknowledged before me this ______day of February, 2013, by Huntington T. Walker, Senior Vice President - Land, of Bill Barrett Corporation, on behalf of said corporation. Witness my hand and official seal. LEE VASKEY **NOTARY PUBLIC** STATE OF COLORADO Notary Public MY COMMISSION EXPIRES 10/16/2013

My Commission Expires:

State of California)
County of SANTA CLARA	}
On <u>JAN. 30</u> 2013 before me, <u>Anne</u>	& B. RAMBO NOTARY POBLIC
Date	Here Insert Name and Title of the Officer
personally appeared CLARENCE VE	Name(s) of Signer(s)
ANNE B. RAMBO Commission # 1869407 Notary Public - California Santa Clara County My Comm. Expires Nov 22, 2013	who proved to me on the basis of satisfactory evidence to be the person(s), whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/ske/they executed the same in his/ker/their authorized capacity(less), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.
ANNE 8 RAMBO Commission # 1869407 Notary Public California Santa Clara County My Comm Expires Nov 22, 2013	I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct. WITNESS my hand and official seal.
Place Notary Seal Above OPTIC Though the information below is not required by law	Signature: Signature of Notary Public NAL it may prove valuable to persons relying on the document
and could prevent fraudulent removal and Description of Attached Document	d reattachment of this form to another document.
Title or Type of Document: 30 REACE DAMAGE	E AND RIGHT OF WAY SETTLEMENT
Document Date: JAN 30 2013	Number of Pages: THEEE
Signer(s) Other Than Named Above:	
Capacity(ies) Claimed by Signer(s)	
Signer's Name: CLARETVLE VERHOEF	· · · · · · · · · · · · · · · · · · ·
☐ Corporate Officer — Title(s):	□ Corporate Officer — Title(s): □ Individual □ Individual □ Individual
☐ Partner — ☐ Limited ☐ General Top of thumb here	OF SIGNER
☐ Attorney in Fact	☐ Attorney in Fact
☐ Trustee	□ Trustee
☐ Guardian or Conservator	☐ Guardian or Conservator
□ Other:	☐ Other:
Signer Is Representing:	Signer Is Representing:
SELP	
National Notary Association • NationalNotary.org • 1-800-US NOTARY (1-80	0-876-6827) Ite

EXHIBIT A





	FORM 9			
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: 2OG0005608			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: 1-18D-36 BTR			
2. NAME OF OPERATOR: BILL BARRETT CORP	9. API NUMBER: 43013509220000			
3. ADDRESS OF OPERATOR: 1099 18th Street Ste 2300		HONE NUMBER: 3 312-8134 Ext	9. FIELD and POOL or WILDCAT: CEDAR RIM	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0464 FNL 0848 FEL	COUNTY: DUCHESNE			
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENE Section: 18 Township: 03.0S Range: 06.0W Meridian: U			STATE: UTAH	
11. CHECH	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
7	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
9/14/2016	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
☐ DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates, o	depths, volumes, etc.	
	quest a one year extension for		Approved by the	
	9/14/2016		Utagusiv0:40:20f5 Oil, Gas and Mining	
			on, das and island	
			Date:	
			By: Dang Sill	
			35	
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE		
Brady Riley	303 312-8115	Permit Analyst		
SIGNATURE N/A		DATE 8/3/2015		

Sundry Number: 65085 API Well Number: 43013509220000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013509220000

API: 43013509220000 Well Name: 1-18D-36 BTR

Location: 0464 FNL 0848 FEL QTR NENE SEC 18 TWNP 030S RNG 060W MER U

Company Permit Issued to: BILL BARRETT CORP

Date Original Permit Issued: 9/14/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Brady Riley Date: 8/3/2015

Signature: Brady Riley

Title: Permit Analyst Representing: BILL BARRETT CORP

Sundry Number: 72864 API Well Number: 43013509220000

			FORM 9
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE	=q	
	DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005608
SUNDR	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: 1-18D-36 BTR
2. NAME OF OPERATOR: BILL BARRETT CORP			9. API NUMBER: 43013509220000
3. ADDRESS OF OPERATOR: 1099 18th Street Ste 2300		PHONE NUMBER: 03 312-8134 Ext	9. FIELD and POOL or WILDCAT: CEDAR RIM
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0464 FNL 0848 FEL			COUNTY: DUCHESNE
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 18 Township: 03.0S Range: 06.0W Merid	ian: U	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
9/14/2017	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	New construction
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	_		
Date of Spau.	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
_	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show a		depths, volumes, etc.
BBC hereby requ	ests a one year extension to t	the subject APD until	Approved by the
	9/14/2017		Wully 06yi2016of Oil, Gas and Mining
			Date:
			By: Doggell
NAME (PLEASE PRINT)	PHONE NUMBE	R TITLE	
Brady Riley	303 312-8115	Permit Analyst	
SIGNATURE N/A		DATE 7/5/2016	

Sundry Number: 72864 API Well Number: 43013509220000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013509220000

API: 43013509220000 **Well Name:** 1-18D-36 BTR

Location: 0464 FNL 0848 FEL QTR NENE SEC 18 TWNP 030S RNG 060W MER U

Company Permit Issued to: BILL BARRETT CORP

Date Original Permit Issued: 9/14/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

Tollowing is a checklist of some items related to the application, which should be verified.
 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?
 Have there been any changes to the access route including ownership, or rightof- way, which could affect th proposed location? Yes No
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? 🌘 Yes 💭 No
Signature: Brady Riley Date: 7/5/2016

Title: Permit Analyst Representing: BILL BARRETT CORP

Division of Oil, Gas and Mining

Operator Change/Name Change Worksheet-for State use only

Effective Date:

11/1/2016

FORMER OPERATOR:	NEW OPERATOR:
Bill Barrett Corporation	Rig II, LLC
1099 18th Street, Suite 2300	1582 West 2600 South
Denver, CO 80202	Woods Cross, UT 84087
CA Number(s):	Unit(s):

WELL INFORMATION:

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
See Attached List									

OPERATOR CHANGES DOCUMENTATION:

1. Sundry or legal documentation was received from the **FORMER** operator on:

10/21/2016

2. Sundry or legal documentation was received from the NEW operator on:

10/21/2016

3. New operator Division of Corporations Business Number:

8256968-0160

REVIEW:

1. Surface Agreement Sundry from NEW operator on Fee Surface wells received on:

N/A

2. Receipt of Acceptance of Drilling Procedures for APD on:

10/21/2016

3. Reports current for Production/Disposition & Sundries:

11/2/2016

4. OPS/SI/TA well(s) reviewed for full cost bonding:

11/3/2016

5. UIC5 on all disposal/injection/storage well(s) approved on:

11/3/2016

6. Surface Facility(s) included in operator change:

None

7. Inspections of PA state/fee well sites complete on (only upon operators request):

11/3/2016

NEW OPERATOR BOND VERIFICATION:

1. Federal well(s) covered by Bond Number:

UTB000712

2. Indian well(s) covered by Bond Number:

LPM 922467

3.State/fee well(s) covered by Bond Number(s):

9219529

DATA ENTRY:

1. Well(s) update in the OGIS on:

11/7/2016

2. Entity Number(s) updated in OGIS on:

11/7/2016

3. Unit(s) operator number update in OGIS on:

N/A

4. Surface Facilities update in OGIS on:

N/A

5. State/Fee well(s) attached to bond(s) in RBDMS on:

11/7/2016

6. Surface Facilities update in RBDMS on:

N/A

COMMENTS:

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral	Surface	Туре	Status
SWD 9-36 BTR	9	030S	060W	4301350646	18077	Indian	Fee	WD	Α
16-6D-46 BTR SWD	6	040S	060W	4301350781	18327	Indian	Fee	WD	Α
6-32-36 BTR SWD	32	030S	060W	4301350921	18329	Indian	Fee	WD	Α
LC TRIBAL 8-26D-47	26	040S	070W	4301334024		Indian	Indian	OW	APD
16-21D-37 BTR	21	030S	070W	4301350758		Indian	Fee	OW	APD
14-11D-37 BTR	11	030S	070W	4301350862		Indian	Fee	OW	APD
7-17D-46 BTR	17	040S	060W	4301350883		Indian	Indian	OW	APD
14-12D-37 BTR	12	030S	070W	4301350894		Indian	Fee	ow	APD
1-18D-36 BTR	18	030S	060W	4301350922		Indian	Fee	OW	APD
13-2D-45 BTR	2	040S	050W	4301350931		Indian	Indian	OW	APD
5H-16-46 BTR	16	040S	060W	4301350992		Indian	Indian	OW	APD
9H-17-45 BTR	17	040S	050W	4301351098		Indian	Indian	OW	APD
13H-8-46 BTR UB	8	040S	060W	4301351124		Indian	Indian	OW	APD
8H-9-46 BTR	9	040S	060W	4301351140		Indian	Indian	ow	APD
LC TRIBAL 7-31D-37	31	030S	070W	4301351147		Indian	Fee	ow	APD
14-16D-45 BTR	16	040S	050W	4301351178	İ	Indian	Indian	ow	APD
16-19D-37 BTR	19	030S	070W	4301351179		Indian	Fee	OW	APD
6-2D-45 BTR	2	040S	050W	4301351234		Indian	Indian	ow	APD
2-2D-45 BTR	2	040S	050W	4301351235		Indian	Indian	OW	APD
10-26-35 BTR	26	030S	050W	4301351248		Indian	Fee	OW	APD
LC TRIBAL 1H-33-46	33	040S	060W	4301351257		Indian	Fee	OW	APD
LC TRIBAL 9-25D-46	25	040S	060W	4301351276		Indian	Indian	OW	APD
LC TRIBAL 8H-30-45	30	040S	050W	4301351277		Indian	Indian	OW	APD
LC TRIBAL 16H-30-45	30	040S	050W	4301351279		Indian	Indian	OW	APD
LC TRIBAL 13-30D-45	30	040S	050W	4301351282		Indian	Indian	OW	APD
LC TRIBAL 16H-36-46	36	040S	060W	4301351291		Indian	Indian	OW	APD
LC TRIBAL 13H-30-46	30	040S	060W	4301351321		Indian	Indian	OW	APD
LC TRIBAL 13H-31-46	31	040S	060W	4301351326		Indian	Indian	OW	APD
LC TRIBAL 16-31D-46	31	040S	060W	4301351328		Indian	Indian	OW	APD
LC TRIBAL 5H-26-47	26	040S	070W	4301351337		Indian	Indian	OW	APD
LC TRIBAL 5H-19-45	20	040S	050W	4301351349		Indian	Indian	OW	APD
LC TRIBAL 16-36D-47	36	040S	070W	4301351363		Indian	Indian	OW	APD
15-4D-47 BTR	4	040S	070W	4301351377		Indian	Fee	OW	APD
16-23D-46 LC TRIBAL	23	040S	060W	4301351396		Indian	Fee	OW	APD
15-2D-36 BTR	2	030S	060W	4301351419		Indian	Fee	OW	APD
16-23D-37 BTR	23	030S	070W	4301351420	1	Indian	Fee	ow	APD
11-9D-47 BTR	9	040S	070W	4301351422		Indian	Fee	OW	APD
15-13D-47 BTR	13	040S	070W	4301351424		Indian	Indian	OW	APD
LC TRIBAL 15-19D-46	19	040S	060W	4301351426	<u> </u>	Indian	Indian	ow	APD
16-13D-45 BTR	13	040\$	050W	4301351428		Indian	Indian	OW	APD

14-12D-45 BTR	12	040S	050W	4301351444	Indian	Indian	OW	APD
16-14D-45 BTR	14	040S	050W	4301351445	Indian	Indian	OW	APD
5-13D-45 BTR	13	040S	050W	4301351446	Indian	Indian	OW	APD
LC TRIBAL 16-26D-46	26	040S	060W	4301351450	Indian	State	OW	APD
LC TRIBAL 10-20D-40	34	0408	060W	4301351451				
16-12D-45 BTR	12	040S	050W	4301351451	Indian Indian	State Indian	OW	APD
8-12D-45 BTR	12	040S	050VV	4301351452			OW	APD
LC TRIBAL 1-35D-46	35	040S	060W		Indian	Indian	OW	APD
16-25D-37 BTR		0405	070W	4301351454	Indian	Fee	OW	APD
LC TRIBAL 13H-29-46	25			4301351455	Indian	Fee	OW	APD
	28	0408	060W	4301351462	Indian	Fee	OW	APD
LC TRIBAL 14-30D-37	30	0308	070W	4301351494	Indian	Fee	OW	APD
7-13D-45 BTR	13	0408	050W	4301351497	Indian	Indian	OW	APD
LC TRIBAL 4H-35-46	35	0408	060W	4301351515	Indian	Fee	OW	APD
LC TRIBAL 13H-19-46	19	040\$	060W	4301351543	Indian	Indian	OW	APD
16-26D-37 BTR	26	030S	070W	4301351598	Indian	Fee	OW	APD
LC TRIBAL 16-31D-37	31	030\$	070W	4301351610	Indian	Fee	OW	APD
5-4-35 BTR	4	030S	050W	4301351613	Indian	Fee	OW	APD
LC TRIBAL 16-31D-47	31	040S	070W	4301351616	Indian	Indian	OW	APD
LC TRIBAL 13H-31-47	31	040S	070W	4301351617	Indian	Indian	OW	APD
LC TRIBAL 13-32D-47	32	040S	070W	4301351619	Indian	Indian	OW	APD
LC TRIBAL 16H-32-47	32	040S	070W	4301351620	Indian	Indian	OW	APD
LC TRIBAL 1-32D-47	32	040S	070W	4301351624	Indian	Indian	OW	APD
LC TRIBAL 4H-32-47	32	040S	070W	4301351625	Indian	Indian	OW	APD
LC TRIBAL 13-28D-47	28	040S	070W	4301351627	Indian	Indian	OW	APD
LC TRIBAL 13H-29-47	28	040S	070W	4301351628	Indian	Indian	OW	APD
LC TRIBAL 16H-28-47	28	040S	070W	4301351629	Indian	Indian	OW	APD
LC TRIBAL 1-28D-47	28	040S	070W	4301351639	Indian	Indian	OW	APD
LC TRIBAL 1H-27-47	28	040S	070W	4301351640	Indian	Indian	OW	APD
LC TRIBAL 4H-28-47	28	040S	070W	4301351641	Indian	Indian	OW	APD
LC TRIBAL 7-25D-58	25	050S	W080	4301351643	Indian	Indian	OW	APD
LC TRIBAL 6-25D-58	25	050S	080W	4301351644	Indian	Indian	OW	APD
LC TRIBAL 13H-24-58	24	050S	W080	4301351645	Indian	Indian	OW	APD
LC TRIBAL 16-24D-58	24	050S	080W	4301351646	Indian	Indian	OW	APD
LC Tribal 8-23D-46	23	040S	060W	4301351654	Indian	Fee	OW	APD
LC Tribal 16-35D-45	35	040S	050W	4301351656	Indian	Fee	OW	APD
LC Tribal 13H-35-45	35	040S	050W	4301351657	Indian	Fee	ow	APD
LC Tribal 16-36D-45	36	040S	050W	4301351658	Indian	Fee	ow	APD
LC Tribal 13H-36-45	36	040S	050W	4301351659	Indian	Fee	OW	APD
LC Tribal 5-36D-45	36	040S	050W	4301351661	Indian	Fee	OW	APD
LC Tribal 8-26D-46	26	040\$	060W	4301351663	Indian	Fee	OW	APD
3-29D-36 BTR	29	0308	060W	4301351665	Indian	Fee	OW	APD

LC Tribal 5-35D-45	35	040S	050W	4301351666	Indian	Fee	OW	APD
_C Tribal 5-24D-46	24	0408	060W	4301351668	Indian	Indian	ow	APD
_C TRIBAL 6-12D-58	12	0508	080W	4301351696	Indian	Indian	OW	APD
LC TRIBAL 8-12D-58	12	050S	080W	4301351697	Indian	Indian	OW	APD
.C TRIBAL 16H-22-47	21	040S	070W	4301351700	Indian	Indian	OW	APD
5-25D-37 BTR	25	030S	070W	4301351803	Indian	Fee	OW	APD
8-3D-36 BTR	3	0308	060W	4301351804	Indian	Fee	OW	APD
14-26D-37 BTR	26	0308	070W	4301351805	Indian	Fee	OW	APD
9-4-35 BTR	4	0308	050W	4301351806	Indian	Fee	ow	APD
11-4D-35 BTR	4	030S	050W	4301351807	Indian	Fee	OW	APD
16-27D-37 BTR	27	0308	070W	4301351808	Indian	Fee	OW	APD
14-27D-37 BTR	27	0308	070W	4301351809	Indian	Fee	OW	APD
14-16D-46 BTR	16	040S	060W	4301351812	Indian	Indian	OW	APD
_C Tribal 16-35D-48	35	040S	080W	4301351847	Indian	Indian	OW	APD
LC Tribal 13H-35-48	35	040S	080W	4301351848	Indian	Indian	OW	APD
_C Tribal 13-2D-58	11	050S	080W	4301351850	Indian	Indian	OW	APD
5-13D-36 BTR	13	0308	060W	4301351862	Indian	Fee	OW	APD
5-8D-36 BTR	8	0308	060W	4301351871	Indian	Fee	OW	APD
16-1D-36 BTR	1	0308	060W	4301351872	Indian	Fee	ow	APD
3-18D-46 BTR	18	040S	060W	4301351897	Indian	Fee	OW	APD
_C Tribal 5-36D-46	36	0408	060W	4301351905	Indian	Indian	OW	APD
LC Tribal 5-26D-45	26	040S	050W	4301351907	Indian	Indian	OW	APD
14-13D-45 BTR	13	040S	050W	4301351974	Indian	Indian	OW	APD
14-34D-46 DLB	34	040S	060W	4301351975	Indian	Fee	OW	APD
LC Tribal 5-21D-45	21	0408	050W	4301352001	Indian	Indian	OW	APD
_C Tribal 8-22D-45	22	0408	050W	4301352002	Indian	Indian	OW	APD
_C Tribal 8-25D-45	25	0408	050W	4301352007	Indian	Indian	OW	APD
LC Tribal 16-25D-45	25	040S	050W	4301352008	Indian	Indian	OW	APD
LC Tribal 16-22D-45	22	040S	050W	4301352009	Indian	Indian	OW	APD
LC Tribal 16-26D-45	26	040S	050W	4301352010	Indian	Indian	OW	APD
LC Tribal 14-31D-37	31	0308	070W	4301352016	Indian	Fee	OW	APD
5-12D-45 BTR	12	040S	050W	4301352030	Indian	Indian	ow	APD
LC Tribal 9-20D-45	20	040S	050W	4301352031	Indian	Indian	OW	APD
LC Tribal 13-35D-47	35	0408	070W	4301352055	Indian	Indian	ow	APD
C Tribal 1-23D-47	23	040S	070W	4301352057	Indian	Indian	ow =	APD
9-17D-46 BTR	17	040S	060W	4301352059	Indian	Indian	OW	APD
11-18D-46 BTR	18	040S	060W	4301352060	Indian	Indian	OW	APD
9-10D-47 BTR	10	0408	070W	4301352092	Indian	Fee	OW	APD
LC Tribal 1-17D-47	17	0408	070W	4301352096	Indian	Fee	OW	APD
7-35D-37 BTR	35	0308	070W	4301352115	Indian	Fee	OW	APD
14-25D-37 BTR	25	0308	070W	4301352116	Indian	Fee	OW	APD

LC Tribal 5-25-46	25	040S	060W	4301352126	Indian	Indian	OW	APD
3-33D-35 BTR	33	030S	050W	4301352161	Indian	Fee	OW	APD
5-4D-36 BTR	4	030S	060W	4301352175	Indian	Fee	OW	APD
7-4D-36 BTR	4	030S	060W	4301352176	Indian	Fee	OW	APD
_C Tribal 4-36D-47	36	040S	070W	4301352186	Indian	Indian	OW	APD
LC Tribal 4-22D-46	22	040S	060W	4301352944	Indian	Indian	OW	APD
LC Tribal 16-22D-46	22	040S	060W	4301352945	Indian	Indian	OW	APD
LC Tribal 11-19D-46	19	040S	060W	4301352946	Indian	Indian	OW	APD
LC Tribal 7-20D-45	20	040S	050W	4301352947	Indian	Indian	OW	APD
15-11D-35 BTR	11	030S	050W	4301353056	Indian	Fee	OW	APD
13-11D-35 BTR	11	030S	050W	4301353057	Indian	Fee	OW	APD
3TR 16-36D-37	36	030S	070W	4301353059	Indian	Fee	OW	APD
4-29D-35 BTR	30	030\$	050W	4301353060	Indian	Fee	OW	APD
1-30D-35 BTR	30	0308	050W	4301353061	Fee	Fee	OW	APD
_C TRIBAL 3-23D-46	23	040S	060W	4301353066	Indian	State	OW	APD
_C Tribal 14-23D-46	23	040S	060W	4301353067	Indian	State	OW	APD
_C Tribal 13-25D-46	25	040S	060W	4301353068	Indian	Indian	OW	APD
_C Tribal 14-26D-46	26	040S	060W	4301353069	Indian	State	OW	APD
_C Tribal 5-26D-46	26	040S	060W	4301353070	Indian	State	OW	APD
_C Tribal 11-35D-45	35	040S	050W	4301353071	Indian	State	OW	APD
_C Tribal 7-35D-45	35	040\$	050W	4301353072	Indian	State	OW	APD
_C Tribal 3-35D-45	35	040S	050W	4301353075	Indian	State	OW	APD
_C Tribal 14-36D-45	36	040S	050W	4301353076	Indian	State	OW	APD
_C Tribal 13-36D-45	36	040S	050W	4301353077	Indian	State	OW	APD
_C Tribal 10-36D-45	36	0408	050W	4301353078	Indian	State	OW	APD
_C Tribal 8-36D-45	36	040S	050W	4301353079	Indian	State	OW	APD
LC Tribal 6-36D-45	36	040S	050W	4301353080	Indian	State	OW	APD
LC Tribal 1-34D-46	34	040S	060W	4301353081	Indian	State	OW	APD
_C Tribal 9-27D-46	27	040S	060W	4301353082	Indian	State	OW	APD
_C Tribal 13-35D-45	35	040S	050W	4301353083	Indian	State	OW	APD
_C Tribal 8-35D-45	35	040S	050W	4301353084	Indian	State	OW	APD
_C Tribal 15-35D-45	35	040S	050W	4301353085	Indian	State	OW	APD
LC Tribal 12-25D-45	25	040S	050W	4301353122	Indian	Indian	OW	APD
LC Tribal 14-25D-45	25	040\$	050W	4301353123	Indian	Indian	OW	APD
_C Tribal 10-25D-45	25	040S	050W	4301353124	Indian	Indian	OW	APD
_C Tribal 11-26-45	26	040S	050W	4301353125	Indian	Indian	OW	APD
_C Tribal 13-26D-45	26	040S	050W	4301353126	Indian	Indian	OW	APD
C Tribal 7-31D-46	31	040S	060W	4301353127	Indian	Indian	OW	APD
C Tribal 7-19D-45	19	040S	050W	4301353128	Indian	Indian	OW	APD
_C Tribal 5-19D-45	19	040S	050W	4301353130	Indian	Indian	OW	APD
LC Tribal 7-25D-46	25	040S	060W	4301353132	Indian	Indian	OW	APD

	15.	1							
_C Tribal 7-24D-46	24	0408	060W	4301353134		Indian	Indian	OW	APD
.C Tribal 14-31D-46	31	040S	060W	4301353135		Indian	Indian	OW	APD
C Tribal 14-30D-46	30	040S	060W	4301353136		Indian	Indian	OW	APD
13-4-35 BTR SWD	4	030S	050W	4301353293		Fee	Fee	OW	APD
.C FEE 14-26D-47	26	040S	070W	4301353294	1	Fee	Indian	OW	APD
C Fee 5-25D-47	25	040S	070W	4301353295		Fee	Indian	OW	APD
7-35-46 LC SWD	35	040S	060W	4301353296		Fee	Fee	OW	APD
.C Fee 1H-33-47	32	040S	070 W	4301353309		Fee	Indian	ow	APD
_C FEE 14-2D-58	2	050S	W080	4301353312		Fee	Indian	OW	APD
C FEE 13H-21-47	21	040S	070W	4301353313		Fee	Indian	OW	APD
C Fee 16-21D-47	21	040S	070W	4301353326		Fee	Indian	OW	APD
6-7D-46 BTR	7	040S	060W	4301353328		Fee	Indian	OW	APD
C Fee 15-26D-47	26	040S	070W	4301353331		Fee	Indian	OW	APD
.C Fee 4-24D-47	23	040S	070W	4301353332		Fee	Indian	OW	APD
.C Fee 5-34D-47	34	040S	070W	4301353333		Fee	Indian	OW	APD
.C Fee 5-35D-47	35	040S	070W	4301353334	:	Fee	Indian	OW	APD
3-34D-47 LC Fee	34	040S	070W	4301353337		Fee	Indian	OW	APD
4-35D-35 BTR	35	030S	050W	4301352120		Fee	Fee	OW	DRL
-17D-46 BTR	17	040S	060W	4301351078		Indian	Indian	OW	OPS
-34D-35 BTR	34	030S	050W	4301351187		Indian	Fee	OW	OPS
5-10D-45 BTR	10	040S	050W	4301351221		Indian	Indian	OW	OPS
-3D-45 BTR	3	040S	050W	4301351810		Indian	Indian	OW	OPS
-34D-35 BTR	34	030S	050W	4301352117		Fee	Fee	OW	OPS
-35D-35 BTR	35	030S	050W	4301352118		Fee	Fee	OW	OPS
-2D-46 BTR	2	040S	060W	4301353086		Indian	Fee	OW	OPS
'-21-46 DLB	21	040S	060W	4301333567	16526	Indian	Indian	OW	P
.C TRIBAL 1H-27-46	27	040S	060W	4301333568	18175	Indian	Fee	GW	P
'-29-46 DLB	29	040S	060W	4301333584	17603	Indian	Fee	GW	P
C TRIBAL 12H-28-46	28	0408	060W	4301333631	18132	Indian	Indian	GW	P
.C TRIBAL 13H-21-46	21	0408	060W	4301333632	18107	Indian	Indian	GW	 P
2-36-36 BTR	36	030S	060W	4301333638	16336	Indian	Fee	GW	P
i-5-46 BTR	5	0408	060W	4301333639	16542	Indian	Fee	OW	P
5-23-36 BTR	23	0308	060W	4301333642	16675	Indian	Fee	GW	P
4-29-36 BTR	29	030S	060W	4301333643	16725	Indian	Fee	ow	P
4-30-36 BTR	30	0308	060W	4301333644	16701	Indian	Fee	GW	<u>'</u>
'-20-46 DLB	20	040S	060W	4301333657	16584	Indian	Indian	OW	'P
.C TRIBAL 5-21D-46	21	0408	060W	4301333658	18887	Indian	Indian	OW	P
-20-46 DLB	20	0408	060W	4301333659	18750	Indian	Indian	GW	P
.C TRIBAL 13H-20-46	20	0408	060W	4301333678	17979	Indian	Indian	GW	P
14-7-46 BTR	7	0408	060W	4301333806	16890	Indian	Indian	GW	P
	1.	0.00	100011	TOO OOOOOO	10000	HIMIAII	HIMIAH	UVV	1 1-1

1-5-45 BTR	5	040S	050W	4301333868	16931	Indian	Indian	OW	Р
5-16-36 BTR	16	030S	060W	4301333970	17195	Indian	Fee	ow	P
5-29-36 BTR	29	0308	060W	4301333972	17557	Indian	Fee	OW	P
4-30-36 BTR	30	030S	060W	4301333973	17249	Indian	Fee	OW	P
7-19-46 DLB	19	040S	060W	4301334004	19018	Indian	Indian	OW	Р
5-25-36 BTR	25	030S	060W	4301334021	17126	Fee	Fee	OW	P
5-4-45 BTR	4	0408	050W	4301334089	17507	Indian	Indian	oW	Р
13-2-46 BTR	2	040S	060W	4301334090	18618	Indian	Indian	ow	Р
2-3-45 BTR	3	040S	050W	4301334099	17932	Indian	Indian	OW	Р
7-6-45 BTR	6	040S	050W	4301334100	17653	Indian	Indian	OW	Р
1-9-45 BTR	9	0408	050W	4301334101	17910	Indian	Indian	OW	Р
8-10-45 BTR	10	040S	050W	4301334102	17530	Indian	Indian	ow	Р
7-17-45 BTR	17	040S	050W	4301334104	17933	Indian	Indian	OW	Р
16-7-45 BTR	7	040S	050W	4301334111	17665	Indian	Indian	OW	Р
15-18-45 BTR	18	040S	050W	4301334112	17832	Indian	Indian	ow	Р
6-12-46 BTR	12	040S	060W	4301334114	17964	Indian	Indian	ow	P
5-13-46 BTR	13	040S	060W	4301334115	17833	Indian	Indian	OW	Р
16-26-36 BTR	26	030S	060W	4301334132	18028	Indian	Fee	ow	P
1-23-36 BTR	23	030S	060W	4301334136	17722	Indian	Fee	OW	Р
15-10-36 BTR	10	030S	060W	4301334277	17419	Indian	Fee	ow	Р
14-5-46 BTR	5	040S	060W	4301350307	17624	Fee	Fee	ow	Р
14X-22-46 DLB	22	040S	060W	4301350351	17604	Indian	Indian	ow	Р
16-13-36 BTR	13	030S	060W	4301350372	17853	Indian	Fee	ow	Р
5-33-46 DLB	33	040S	060W	4301350397	17765	Indian	Fee	OW	Р
5-34-46 DLB	34	040S	060W	4301350415	17801	Indian	State	GW	Р
LC FEE 12H-32-46	32	040S	060W	4301350431	18003	Fee	Fee	OW	Р
1-13D-47 BTR	13	040S	070W	4301350445	18205	Indian	Fee	OW	Р
16-8D-45 BTR	8	040S	050W	4301350466	18799	Indian	Indian	OW	Р
7-13D-46 BTR	13	040S	060W	4301350470	18076	Indian	Indian	OW	Р
14-8D-45 BTR	8	040S	050W	4301350567	18207	Indian	Indian	OW	Р
14-5D-45 BTR	5	040S	050W	4301350568	18108	Indian	Indian	OW	Р
16-31D-36 BTR	31	030S	060W	4301350573	18004	Indian	Fee	OW	P
5-7D-46 BTR	7	040S	060W	4301350574	18176	Indian	Indian	OW	Р
LC TRIBAL 13H-33-46	34	040S	060W	4301350575	18223	Indian	State	OW	Р
5-8-45 BTR	8	040S	050W	4301350607	18279	Indian	Indian	OW	Р
16-6D-45 BTR	6	040S	050W	4301350610	18177	Indian	Indian	OW	P
5-18D-45 BTR	18	040S	050W	4301350611	18300	Indian	Indian	OW	Р
7-26-37 BTR	26	030\$	070W	4301350641	18131	Indian	Fee	OW	Р
3-11D-36 BTR	11	030S	060W	4301350642	18299	Indian	Fee	OW	Р
16-1D-46 BTR	1	040S	060W	4301350675	18525	Indian	Indian	ow	Р
14-3-45 BTR	3	040S	050W	4301350676	18363	Indian	Indian	ow	Р

4-17D-45 BTR	17	040S	050W	4301350687	18517	Indian	Indian	OW	Р
5-6D-45 BTR	6	040S	050W	4301350688	18726	Indian	Indian	OW	P
7-7D-45 BTR	7	040S	050W	4301350689	18380	Indian	Indian	OW	P
14-10D-45 BTR	10	040S	050W	4301350754	18447	Indian	Indian	OW	P
14-9D-45 BTR	9	040S	050W	4301350755	18379	Indian	Indian	OW	P
13-16D-36 BTR	16	030S	060W	4301350757	18206	Indian	State	OW	Р
5-9D-36 BTR	9	030S	060W	4301350843	18381	Indian	Fee	OW	P
16-5D-46 BTR	5	040S	060W	4301350844	18280	Fee	Fee	OW	Р
5-27D-37 BTR	27	030S	070W	4301350847	18526	Indian	Fee	OW	Р
7-4D-45 BTR	4	040S	050W	4301350884	18562	Indian	Indian	OW	Р
2-16D-45 BTR	16	040S	050W	4301350899	18619	Indian	Indian	OW	Р
16-10D-45 BTR	10	040S	050W	4301350902	18725	Indian	Indian	OW	P
5-2D-36 BTR	2	030S	060W	4301350913	18886	Indian	Fee	ow	Р
13H-27-36 BTR	27	030S	060W	4301350918	18445	Indian	State	ow	Р
8-16D-46 BTR	16	040S	060W	4301350953	19027	Indian	Indian	OW	Р
16-16D-46 BTR	16	040S	060W	4301350956	19028	Indian	Indian	OW	Р
16-9D-45 BTR	9	040S	050W	4301350962	18662	Indian	Indian	OW	Р
14-31D-36 BTR	31	030S	060W	4301350973	18524	Indian	Fee	OW	Р
5-10D-36 BTR	10	030S	060W	4301350978	18989	Indian	Fee	OW	Р
1-32D-36 BTR	32	030S	060W	4301350979	18648	Indian	Fee	OW	Р
16-12D-36 BTR	12	030S	060W	4301350980	18748	Indian	Fee	ow	Р
2-18D-45 BTR	18	040S	050W	4301350991	18776	Indian	Indian	OW	Р
3-1-46 BTR	1	040S	060W	4301351017	18777	Indian	Fee	ow	Р
10-5-45 BTR	5	040S	050W	4301351062	18724	Indian	Indian	OW	Р
12-4D-45 BTR	4	040S	050W	4301351063	18813	Indian	Indian	ow	Р
1-10D-45 BTR	10	040S	050W	4301351064	18966	Indian	Indian	ow	Р
16-2D-46 BTR	2	040S	060W	4301351079	18830	Indian	Indian	OW	Р
9H-4-45 BTR	4	040S	050W	4301351092	18814	Indian	Indian	OW	Р
12-17-45 BTR	17	040S	050W	4301351097	18984	Indian	Indian	OW	Р
5-9D-46 BTR	9	040S	060W	4301351109	19313	Indian	Fee	OW	Р
14-9D-36 BTR	9	030S	060W	4301351144	19004	Indian	Fee	OW	Р
5-31D-36 BTR	31	030S	060W	4301351146	18691	Indian	Fee	OW	Р
4-9D-45 BTR	9	040S	050W	4301351157	18883	Indian	Indian	OW	Р
8-12D-46 BTR	12	040S	060W	4301351159	18911	Indian	Indian	OW	Р
LC TRIBAL 16-23D-47	23	040S	070W	4301351180	18617	Indian	Indian	OW	Р
14-7D-45 BTR	7	040S	050W	4301351222	18949	Indian	Indian	OW	Р
5-16D-45 BTR	16	040S	050W	4301351223	18987	Indian	Indian	OW	Р
4-5D-45 BTR	5	040S	050W	4301351242	18882	Indian	Indian	OW	P
LC TRIBAL 16H-19-45	19	0408	050W	4301351278	18627	Indian	Indian	OW	Р
LC TRIBAL 13-19D-45	19	040S	050W	4301351280	18628	Indian	Indian	OW	Р
LC TRIBAL 5-30D-45	30	040S	050W	4301351281	19448	Indian	Indian	OW	Р

LC TRIBAL 15-24D-46	24	040S	060W	4301351283	18626	Indian	Indian	OW	Р
LC TRIBAL 13H-24-46	19	040S	050W	4301351289	18629	Indian	Indian	ow	P
7-16-47 BTR	16	040S	070W	4301351296	18950	Indian	Fee	ow	P
14-18D-45 BTR	18	040S	050W	4301351313	19005	Indian	Indian	ow	Р
LC TRIBAL 16-30D-46	30	040S	060W	4301351320	19006	Indian	Indian	OW	Р
LC TRIBAL 5-20D-45	20	040S	050W	4301351331	19449	Indian	Indian	OW	Р
11-8D-46 BTR	8	040\$	060W	4301351336	19314	Indian	Indian	OW	Р
5-7D-45 BTR	7	040S	050W	4301351350	18951	Indian	Indian	OW	Р
7-5-35 BTR	5	0308	050W	4301351599	19078	Indian	Fee	OW	Р
13-5D-35 BTR	5	030S	050W	4301351600	18996	Indian	Fee	OW	Р
11-5D-35 BTR	5	030S	050W	4301351601	19061	Fee	Fee	OW	Р
15-5D-35 BTR	5	030S	050W	4301351602	19062	Fee	Fee	OW	Р
9-5D-35 BTR	5	030S	050W	4301351609	19029	Indian	Fee	OW	Р
3-5D-35 BTR	5	030S	050W	4301351638	19079	Indian	Fee	OW	Р
7-8-46 BTR	8	040S	060W	4301351702	19315	Indian	Indian	OW	P
7-30-46 DLB	30	040S	060W	4301351703	18997	Fee	Indian	OW	Р
3-13D-46 BTR	13	040S	060W	4301351718	18881	Indian	Indian	OW	Р
2-13D-46 BTR	13	040S	060W	4301351719	18885	Indian	Indian	OW	Р
12-12D-46 BTR	12	040S	060W	4301351720	18867	Indian	Indian	OW	∱P
10-12D-46 BTR	12	040S	060W	4301351721	18856	Indian	Indian	OW	P
11-11D-47 BTR	11	040S	070W	4301352091	19633	Fee	Fee	OW	Р
7-12D-47 BTR	12	040S	070W	4301352094	19600	Indian	Fee	ow	Р
5-12D-47 BTR	12	040S	070W	4301352095	19634	Indian	Fee	ow	Р
14-33D-35 BTR	33	030S	050W	4301352162	19450	Indian	Fee	OW	Р
16-33D-35 BTR	33	030S	050W	4301352163	19451	Indian	Fee	OW	Р
14-22-46 DLB	22	040S	060W	4301333660	17604	Indian	Indian	D	PA
13H-31-36 BTR	31	0308	060W	4301350465	18485	Indian	Fee	OW	PA
16X-23D-36 BTR	23	030S	060W	4301350623	18007	Indian	State	OW	PA
8-6-45 BTR	6	040S	050W	4301350900	18561	Indian	Indian	OW	PA
13-13-36 BTR	13	030S	060W	4301350919	18364	Indian	Fee	OW	PA
7-28-46 DLB	28	040S	060W	4301333569	16460	Indian	Indian	OW	S
5-21-36 BTR	21	030S	060W	4301333641	16674	Indian	Fee	GW	S
13-26-36 BTR	26	030S	060W	4301333980	17569	Indian	Fee	OW	S
14-1-46 BTR	1	040S	060W	4301334113	18516	Indian	Indian	OW	S
16-21-36 BTR	21	030S	060W	4301334130	17721	Indian	Fee	OW	S
14-21-36 BTR	21	030S	060W	4301334131	18006	Indian	Fee	OW	S
7-16-36 BTR	16	030\$	060W	4301334133	17834	Indian	Fee	OW	S
1-30-36 BTR	30	0308	060W	4301334134	17905	Indian	Fee	ow	S
16-30-36 BTR	30	0308	060W	4301334135	18005	Indian	Fee	OW	S
3-23-36 BTR	23	030\$	060W	4301334137	17860	Indian	Fee	OW	S
16-16-36 BTR	16	030S	060W	4301334138	17666	Indian	Fee	OW	S

4-26-36 BTR	26	030S	060W	4301334139	17620	Fee	Fee	OW	S
9-11-36 BTR	11	030S	060W	4301334276	17451	Indian	Fee	OW	S
3-36-36 BTR	36	030S	060W	4301350398	17955	Indian	Fee	OW	S
7-10-36 BTR	10	030S	060W	4301350437	18052	Indian	Fee	OW	S
16-12D-46 BTR	12	040S	060W	4301350467	18051	Indian	Indian	OW	S
13H-13-46 BTR	13	040S	060W	4301350468	18208	Indian	Indian	OW	S
13-12-46 BTR	12	040S	060W	4301350469	18233	Indian	Indian	OW	S
14-8D-36 BTR	8	030S	060W	4301350612	18163	Indian	Fee	OW	S
14-7D-36 BTR	7	030S	060W	4301350613	18330	Indian	Fee	ow	S
16-9-36 BTR	9	0308	060W	4301350645	18078	Indian	Fee	OW	S
7-27-37 BTR	27	030S	070W	4301350647	18090	Indian	Fee	OW	S
16-12D-37 BTR	12	030S	070W	4301350785	18446	Indian	Fee	OW	S
14-21D-37 BTR	21	030S	070W	4301350859	18548	Indian	Fee	OW	S
10-18D-36 BTR	18	030S	060W	4301350915	18884	Indian	Fee	OW	S
5-27D - 36	27	030S	060W	4301350917	18482	Indian	State	ow	S
10-36D-36 BTR	36	030S	060W	4301351005	18523	Indian	Fee	OW	S
14-6D-45 BTR	6	040S	050W	4301351158	18967	Indian	Indian	ow	S
5H-1-46 BTR UTELAND BUTTE	6	040S	050W	4301351215	18728	Indian	Indian	OW	S
5H-1-46 BTR WASATCH	6	040S	050W	4301351216	18727	Indian	Indian	OW	S
1-25D-36 BTR	25	030S	060W	4301351294	18798	Indian	Fee	OW	S
5-5D-35 BTR	5	030S	050W	4301351605	19055	Indian	Fee	OW	S
16-23-36 BTR	23	030S	060W	4301333971	17182	Indian	Fee	OW	TA
LC TRIBAL 14-23D-47	23	040S	070W	4301334022	18616	Indian	Indian	OW	TA
5-32D-36 BTR	32	030S	060W	4301350756	18328	Indian	Fee	OW	TA



October 20, 2016

RECEIVED

OCT 21 2016

Re: Bill Barrett Corporation Transfer to New Operator

DIV. OF OIL, GAS & MINING

Dear Ms. Medina:

Attached please find the change of operation Form 9, Form 5's and Request to Transfer APD formchanging the operator from Bill Barrett Corporation to RIG II, LLC, effective 11/1/2016. Badlands Energy – Utah, LLC will be a sub-operator.

New Operator Contact information:

RIG II, LLC 1582 West 2600 South Woods Cross, Utah 84087-0298 Telephone:(801) 683-4245 Fax:(801) 298-9889

Upon reviewing the attached, please contact myself with any questions at 303-312-8115.

Sincerely,

Bill Barrett Corporation

Brady Riley Permit Analyst

STATE OF UTAH FORM 9 **DEPARTMENT OF NATURAL RESOURCES** 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING (see attached well list) 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS N/A 7, UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL 8. WELL NAME and NUMBER OIL WELL 🔽 GAS WELL (see attached well list) 2. NAME OF OPERATOR: 9. API NUMBER RIG II, LLC 3. ADDRESS OF OPERATOR PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT: 1582 West 2600 South (801) 683-4245 STATE UT ZIP 84087 Wood Cross 4. LOCATION OF WELL FOOTAGES AT SURFACE: (see attached well list) COUNTY: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 11. TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE REPERFORATE CURRENT FORMATION NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start; CASING REPAIR **NEW CONSTRUCTION** TEMPORARILY ABANDON 11/1/2016 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLARE SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSÁL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: CONVERT WELL TYPE **RECOMPLETE - DIFFERENT FORMATION** 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. RIG II, LLC IS SUBMITTING THIS SUNDRY AS NOTIFICATION THAT THE WELLS LISTED ON THE ATTACHED LIST HAVE BEEN SOLD TO-Rig II, LLC BY BILL BILL BARRETT CORPORATION EFFECTIVE 11/1/2016. PLEASE REFER ALL FUTURE CORRESPONDENCE TO THE ADDRESS BELOW. RIG II, LLC 1582 West 2600 South Woods Cross, Utah 84087-0298 801-683-4245 (STATE/FEE BOND # 9219529/ BLM BOND # UTB000712/ BIA BOND # LPM9224670) BILL BARRETT CORPORATION NOILS RIG II, LLC MAME (PLEASE PRINT) _ NAME (PLEASE PRINT) SIGNATURE SIGNATURE EH&S, Government and Regulatory Affairs Jesse McSwain Manager NAME (PLEASE PRINT) 1012016

APPROVED

NOV 0 7 2016

(This space for State use only)

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

Well name:		(See attached lis	st)			
API number:						
Location:		Qtr-Qtr:	Section:	Township: Range:		
Company that	filed original application:	Bill Barrett Corpo	oration			
Date original p	ermit was issued:					
Company that	permit was issued to:	Bill Barrett Cor	poration			
			÷			
Check one		Desi	red Action:			
Transfor	pending (unapproved) App	lication for Po	rmit to Drill to no	w operator		
submitted	in the pending Application fo	or Permit to Dril	l, remains valid ar	by verifies that the information as nd does not require revision. The cedures as stated in the application	new	
✓ Transfer	approved Application for P	ermit to Drill t	o new operator			
				ermitted, hereby verifies that the remains valid and does not requir	e	
		-41441			Τ.,	Ι
	checklist of some items rela		Tilication, which s	snould be verified.	Yes	No
<u> </u>	vate land, has the ownership				√	
	the surface agreement been				1	✓
Have any wells requirements for	been drilled in the vicinity of t r this location?	he proposed w	ell which would af	fect the spacing or siting		✓
Have there beer proposed well?	າ any unit or other agreement	ts put in place t	hat could affect th	e permitting or operation of this		✓
Have there been proposed location		route including	ownership or righ	t-of-way, which could affect the		✓
Has the approve	ed source of water for drilling	changed?				✓
	n any physical changes to the was discussed at the onsite		on or access route	which will require a change in		1
ls handing still in	n place, which covers this pro	posed well? B	ond No. 9219529-UDOGM/U	JTB000712-BI,M / LPM9224670-BIA	1	
13 Donaing Still II					_	rad
Any desired or r should be filed on necessary supp	on a Sundry Notice, Form 9, c orting information as required	or amended Ap	olication for Permi	n for Permit to Drill that is being tr it to Drill, Form 3, as appropriate,		rea,
Any desired or r should be filed of necessary support	on a Sundry Notice, Form 9, c	or amended Ap	Title Manager			rea,
Any desired or r should be filed of necessary support Name (please p Signature	on a Sundry Notice, Form 9, c orting information as required	or amended Ap	olication for Permi			

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING

•	TRAI	NSFE	R OF	AUTHORITY TO INJECT	•
Well Name and Number 6-32-36 BTR SWD		4			API Number 4301350921
Location of Well				DUQUENOE	Field or Unit Name CEDAR RIM
Footage: 1628 FNL 1553 FWL QQ, Section, Township, Range: SENW	32	3S	6W	County : DUCHENSE State : UTAH	Lease Designation and Number 2OG0005608

EFFECTIVE DATE OF TRANSFER: 11/1/2016

CURRENT OP	PERATOR	
Company:	BILL BARRETT CORPORATION	Name: Duane Zavadil
Address:	1099 18th Street Ste 2300	Signature: 2nCd
	city DENVER state CO zip 80202	Senior Vice President - Title: EH&S, Government and Regulatory Affairs
Phone:	(303) 293-9100	Date: 10 20 16
Comments	· · · · · · · · · · · · · · · · · · ·	

Address: 1582 West 2600 South Signature: Signature: Manager	Company: RIG II, LLC Name: Jesse McSwain	
10/2 . 111	1593 West 2000 Courts	R:
(004) 002 4045	city Wood Cross state UT zip 84087 Title: Manager	
Phone: (801) 683-4245 Date: 10 LC 10	Phone: (801) 683-4245 Date: 10 20 10	

(This space for State use only)

Transfer approved by:

Approval Date: ///3//L

Comments:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

	TRANSFER OF AL	JTHORITY TO INJECT	Γ
Well Name and 16-6D-46 BT			API Number 4301350781
ocation of Well		:	Field or Unit Name
Footage: 02	200 FSL 0099 FEL	County : DUCHESNE	ALTAMONT Lease Designation and Number
QQ, Section,	Township, Range: SESE 6 4S 6W	State: UTAH	20G0005608
	11/1/2016		
EFFECTIVE L	DATE OF TRANSFER: 11/1/2016		
CURRENT OP	PERATOR		
Company:	BILL BARRETT CORPORATION	Name: Duane	e Zavadil
Address:	1099 18th Street Ste 2300	Signature:	m Zinal
	city DENVER state CO zip 80202	SeniorV	ice President - Government and Regulatory Affairs
Phone:	(303) 293-9100	Date:	20/16
Comments:			
oommonto.	•		
NEW OPERAT			
VEW OF LINA	iok		
Company:	RIG II, LLC	Name: Jesse	McSwain ⁽
Address:	1582 West 2600 South	Signature:	Leve MG:
, , , , , , , , , , , , , , , , , , , ,	city Wood Cross state UT zip 84087	Title: Mana	
Phone:	(801) 683-4245	Date:	120/16
Comments:	:		
This space for S	state use only)	· ·	1
Transfer ap	oproved by:	Approval Date:	11/3/16
	Title: VIC		•

Comments:

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

	TRANSFER OF AL	UTHORITY TO INJECT	Γ
Vell Name and N SWD 9-36 B			API Number 4301350646
ocation of Well			Field or Unit Name CEDAR RIM
Footage: 05	539 FSL 0704 FEL	County : DUCHESNE	Lease Designation and Number
QQ, Section,	Township, Range: SESE 9 3S 6W	State: UTAH	2OG0005608
FFECTIVE D	PATE OF TRANSFER: 11/1/2016		
URRENT OP	ERATOR		
	DUL DADDETT CODDODATION	_	
Company:	BILL BARRETT CORPORATION	Name: Duane	e Zavadil
Address:	1099 18th Street Ste 2300	Signature: Senior V	ice kiesident -
	city DENVER state CO zip 80202	Title: EH&S, C	Government and Regulatory Affairs
Phone:	(303) 293-9100	Date: <u>\</u>	2014
Comments:			
EW OPERAT	OR		
Company:	RIG II, LLC	Name: Jesse	McSwain
Address:	1582 West 2600 South	Signature:	ene MG:
	city Wood Cross state UT zip 84087	Title: Mana	ger
Phone:	(801) 683-4245	Date:	20/14
Comments:			
sis annag far Ct	ofe use only)		
nis space for St			
Transfer ap	proved by:		
	Title:	-/A. IICE	PA.
Comm	nents: This well was approved with	rived 49 USC	, , , ,
	FPA approved Wi	Il be required	
	<u> </u>	V	